

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
1	05.01.2004	Eurifel FeLV	L56197/ (L53837/L53927)	Eurifel RCPT	Katze	1	1	0	Hohes Fieber und Bewegungsstörungen der Hintergliedmaßen. Fieber in Schüben. Allgemeinbefinden bis jetzt (nach 20 Tagen) beinträchtigt. Untersuchung auf Herpes-Calci-Parvoviren negativ
2	19.01.2004	Enduracell 8	L31204-2063B		Hund	1	1	0	Anaphylactic shock. Nobivac SHPPLT was used 10 times before - without problems. The same Enduracell-8b-batch was administered to about 20 other dogs without problems.
3	21.01.2004	Stellamune one	L32754		Schwein	106	53	1	Anaphylactic shock. Stell. one has been used since 01. 2003. During this time ADE's (shock reactions) have occurred sporadically. Routine vacc. Of sows
4	26.01.2004	Vanguard 7	L30989/L30984		Hund		1	1	Wenige Minuten nach s.c. Injektion Kreislaufchock mit Bradycardi, Blässe, Schwachen Puls, Apathie-Anaphylaktische Schock. Schnelle Erholung unter intravenöser Dauertropf
5	27.01.2004	Suvaxyn Parvo/E	8232		Schwein	70	7	0	4 Abortions 2 days post-vac. Paired blood samples and fetuses submitted to lab for further investigation Follow up report. Fetuses investigated (antigen): Chlamydia: positive. BE: positive (aspecific), COxiella: negative. Salmonella: negative. PRRS: negative. Aujeszky: negative. CSF: negative, PCV-2:negative. Conclusion lab: abortion caused by Chlamydia

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
6	29.01.2004	Felocell CVR	L32725		Katze	1	1	0	Katze war ein Tag lang matt und hat nicht gefressen. Spätere Besserung an nächsten Tag. Tier war überfällig mit der Schutzimpfung
7	04.02.2004	Suvaxyn Flu	SK01700		Schwein	400	5	1	Shortly after vac., one sow died with signs of anaphylactic shock (no-post-mortem available). Moreover, three sows showed signs of neurological disorder of hind legs. All three were slaughtered in the two weeks p.v Another sow showed discolourisation of the ears, wich was still present 2 weeks post vaccination.
8	04.02.2004	Nobivac LT	72223B/002394A	Nobivac SHPPi	Hund	1	1	0	Pruritus am Kopf, Erbrechen, Krämpfe der Hintergliedmaßen, Tachycardie
9	06.02.2004 via PSUR	Insol Dermatophyton			Pferd	1	1	0	One day after va.: fever, several days later: small to medium size oedematous urticaria-like skin lesions. Signs expended in circular manner over the whole body surface. Excretion of serous fluid, crust formation with subsequent hair loss
10	06.02.2004 via PSUR	Insol Dermatophyton			Pferd	171	98	0	Revacc. of 170 animals on 8.- 9.09.2003: 71 animals with a mild to severe local swelling at the inj. Site, 26 animals with rectal T>38.5 C. 4 animals with severe stiffness. In 3 horses stiffness due to swelling in the pectoral muscle.

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
11	06.02.2004 via PSUR	Insol Dermatophyton			Pferd	1	1	0	Two days after revacc. Severe swelling reaching size of a football (vaccine applied with blue injection needle 0.6x30 mm). Swelling appeared warm, at the beginning clearly and after 3 weeks only slightly painful. Massive inhibition of mobility.
12	06.02.2004 via PSUR	Insol Dermatophyton			Pferd	1	1	0	Apr. 30 min after vacc. Swelling at the inj. Site, horse collapsed with shock symptoms (heavy sweating, tachypnoea, tachycardia). Emergency medication with Dexamethason and 10 ?l physiological saline solution, complete recovery within few hours.
13	06.02.2004 via PSUR	Insol Dermatophyton			Hund	1	1	0	After second inj. Swelling at the inj. Site and abscess formation, 2 weeks later: Abscess opened, surgical treatment with excision of necrotic tissue and antiseptic lavage, one week later: repeated curettage and lavage (Lavasept) of abscess and two lavages with hydrogen peroxide, complete healing after approx. 8 weeks

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
14	10.02.2004	Virbagen felis RCP/T	C4W		Katze	50	1		Fibrosarkom an der Injektionsstelle, infiltratives Wachstum in die Muskulatur. Operiert am 13.01.04, Prognose ungünstig Bestätigung der klinische Diagnose; das Fibrosarkom ist höhermaligne und zeigt ausgeprägtes infiltratives Wachstum auch in die Muskulatur; keine periphere Abgrenzungsreaction bzw. diese wird infiltriert und auch durchbrochen.
15	13.02.2004	Baypamune			Katze	1	1	0	Anaphylactic shock reaction after subcutaneous administration of Baypamune. 5 min. post injection: Persian Mix vomited, was lethargic, about 15 min. post injection. Cat showed tremor and collapsed. Shock therapy was started: Infusion (100.0 NaCl), 10 mg Solo Decortin, 0.3 Effortil. About 2 hours post application again vomiting and lethargy but recovery. General conditions before treatment: heart insufficiency, hyperthyreosis
16	26.02.2004	Insol Trichophyton	971 A		Rind	7	4	1	Schock -reaction following vaccination
17	05.03.2004	Stellamune one	L32754		Schwein	45	11	1	Unmittelbar nach Applikation traten bei allen 11 Ferkeln eines Wurfes akute Schocksymptome mit speicheln, Seitenlagen, und Schwacher Atmung auf. Ein Tier verendete.
18	09.03.2004	Ingelvac PRRS MLV			Schwein				Multiple Aborte und lebensschwache Ferkel. Impfstoff abgesetzt,

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
19	10.03.2004	Stellamune one	L33936		Schwein	70	29	0	Anaphylactic Shock. 7 litters were vaccinated. Nearly all piglets of 3 litters showed ADE's. 1 piglet reacted in 1 litter. Litters of primiparae as of multiparae were affected. 3 w ago 200 piglets were vaccinated with the same batch. ADE's did not occur. Every 3 weeks 200-250 piglets at the age of 3 w have been vacc. During the last year. ADE's did not occur. Routine vacc. of sows
20	11.03.2004	Baypamune	TK001JL KP02AF		Katze	2	2	0	Two cats received one dose of Baypamune (1 ml) each via subcutaneous route at 15.09.2003. At 23.09 alternations at the inj. Site were observed: the cats developed white hair at the inj. Site and one animal showed a swelling with a calibre of about 2 mm.
21	12.03.2004	Nobivac RCP	003361 C		Katze	3	3	0	ca. 1/2 Stunde nach der Injektion bei 2 Katzen Unruheerscheinungen und häufiger Erbrechen von Schleim auf, eine Katze ...nach 24 Stunden nach der impfung vermehrt
22	15.03.2004	Eurican LT	L77265		Hund	1	1	0	Kopfödem nach vaccination
23	17.03.2004	Vanguard 7	L33219+L33218		Hund	1	1	0	Allerg. Reaktion 3 h nach Applikation. Ohremuscheln geschwollen, Lidödem, Ödem am Kopf

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
24	17.03.2004	Stellamune one	L33936		Schwein	13	3	3	Death after vacc. Piglets were vacc. in the evening and were found dead the following morning. Results of bacteriological exam.: Actinomyces in heart, liver and lungs. Streptococcus suis & Streptococci β -haemolytic in lungs. E.coli and Coccidæa in the gut. Summary of the pathological investigation: The lesions found in the organs of respiratory tract are chronic. Certainly these lesions were already present at the time of vacc. The vacc. Stress may have exacerbated these lesions.
25	22.03.2004	Stellamune one	L33936		Schwein	40	40	1	Anaphylactic Shock. The rest of the unit was vacc at the age of 3 weeks on 15th of March. The animal showed vomitus. Routine vacc. of sows: Against E.coli and C.perfringens with Clostriccol (IDT, Desau), 14-21 days a.p. Against Parvovirus and Erysipelas
26	23.03.2004	Rispoval RS	L32772A, L32772B		Rind	43	40	0	Anaphylaktische Reaktionene unregelmäßig gehäuft
27	29.03.2004	Bovilis Ringvac	02125A		Rind	2	2	2	
28	29.03.2004	Virbagen Omega	OH 63		Katze	1	1	0	St. 15.10.03 propediente Anorexie, sonst obB (Beseitigung des Schnupfes, trotzdem noch sinusitis
29	01.04.2004	Permavax Tricho	unknown		Rind	1	1	1	3-4h after vaccination the calf was found dead, Sektionsbefund: Schock , hochgr. Lungenblutung , BVD, EcoliK99, Salmonellen nicht nachgewiesen

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
30	05.04.2004	Stellamune one	L32599		Schwein	10	10	1	Anaphylactic shock. Content of soya in the feed stuff for sows: 40%
31	08.04.2004	Eurifel RCP FeLV	L65247	Rabisin	Katze	1	1	0	Katze war sehr matt, hat Schmerzen an Injektionsstelle
32	13.04.2004	Eurican LT	L77265 / L76766	Eurican SHPPi2	Hund	1	1	0	unmittelbar post vacc. Kotabsatz + Erbrechen; (+Müdigkeit)
33	23.04.2004	Rhinoboviv Marker inaktiviert	KP00JC5		Rind	3	3	3	reaction start date: hours post vaccination. Signs like anaphylaktoid reaction; hyperventilation, apnoe, collapse. Cause of death: collapse, anaphylactoid reaction
34	23.04.2004	Trichovac LTF 130	660603		Rind	23	1	1	Ca. 1,5 h nach der Impfung legten sich die Kälber nieder, hyperventilierten und zeigten Schock symptome wie Dyspnoea und blasse Schleimhäute. Ein Kalb verendete unter dem klinischen Zeichen von weißem Schaum und Blutbeimengungen aus der Nase hochgradige Belastung einer Heuprobe mit Hausstaubmilben, sowie Grassilage mit deutlich erhöhtem Gehalt an LPS-Strukturen. Diese sind Hinweis für eine Grundbelastung des Kälberbestandes mit bakteriellen Toxinen

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
35	23.04.2004	Rhusiovac	331202		Schwein	300	6	3	Nachdem bereits am gleichem Tag mit dieser Charge 300 Tiere ohne Probleme geimpft worden waren, zeigten 3 Zuchtläufer 2-3 min nach der Impfung Schocksymptome (Kurzatmigkeit, blaues Anlaufen) und verendeten. 2-3 weitere Tiere zeigten ebenfalls Symptome.
36	20.04.2004	Rispoval RS			Rind	38	35	0	HHE ??
37	20.04.2004	Rispoval RS			Rind	24	6	1	HHE ??
38	29.04.2004	Eurifel FeLV			Katze	1	1	1	Retikulosarkom/Fibrosarkom/Sarkom in Entzündung, Fibrosarkom möglich (aus Sektionsbericht)
39	23.04.2004 PSUR=JM	Dercunimix			Kaninchen	12	6	2	After vacc rabbits were shaking ears severe scabs 2x5cm, anorexia, depression, Autopsie: catth+mucöse enteritis Clost perf, Cl spiroforme, Coccidien
40	23.04.2004 PSUR=JM	Dercunimix			Kaninchen	22	17	0	nodulare veränderungen am Rande des Ohres , Haarverlust auf Nase nur bei geimpften Tieren, (wegen Knötchen und Haarverlust kein Besuch der Zuchtausstellung)
41	23.04.2004 PSUR=JM	Dercunimix			Kaninchen	45	22	0	Ohren durchstoßen? Weiße Haare auf der Rückseite der Ohren, Tiere konnten nicht zur Ausstellung

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
42	05.05.2004	Stellamune One	L34326		Schwein	199	190	3	Anaphylactoid shock after vacc. At the age of 1 and 3 weeks. Routine vacc. Of sows against E.coli&Cl.perfringens with Gletvax 6 against Erysipelas&Parvovirus with Suvaxyn Mhyo each 5 month - herd vacc. Against PRRSV with Ingelvac PRRS MLV, vacc. Of nonpregnant sows Iron substitution on 1st day of life with Bioveyxin orally, Vetofer or Myofer. Vaccine was warmed up prior using.
43	05.05.2004	Stellamune One	L33318		Schwein	114	25	2	Anaphylactic shock6 of 13 vaccinated litters showed ADE's Stellamune One has been used since November 2003 without problems. Routine vacc. Of sows: against Erysipelas&Parvovirus with Suvaxyn Parvo/E, herd vaccination twice a year, last vaccination - February 2004. Substitution of iron for piglets with Ferretrin on 3rd day of life. Content of soya in the feed stuff for sows: 10%
44	14.05.2004	Eurican SHPPi2	L61386 / 65720	Eurican LT	Hund	1	1	0	1/2 Stunde später Kopfödem sonst obb
45	14.05.2004	Vanguard 7	L33218/19		Hund	1	1	0	Anaphylactischer Schock wenige minuten nach s.c Applikation des Impfdosses. Welp wie leblos, jedoch kein Herzstillstand, sofortige Schockbehandlung (Bra., Methylprednisolon, Renger...-Infusion) Welp konnte nach 30 min. wieder gehen

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
46	14.05.2004	Bovilis IBR Marker	27554C		Rind	74	2	2	74 Tiere am 25.3.04 8:30 geimpft, am 26.3.04 eine Kuh um ca 5:30 in Agonie vorgefunden, kurz danach verendet, zweite am 26.3 ca 6:30: keine Milch im Euter.Kuh bis 30.3.04 apatisch, säuft und frißt nicht, T=38.4....am 30.3.04 Tötung aus dem entzündlich verändertem Eutergewebe wurden Colibakterien isoliert
47	17.05.2004	Bovigrip RSP plus	39124B	Riemser Trichophytie-Vakzine	Rind	5	5	5	acute respiratoric dyspnoea woth foam in the mouth (in some extent with blood)
48	19.05.2004	Eurican Merilym	L64092		Hund	1	1	0	Injektionsstelle schmerzhaft, Fieber 40,5 C, Apathie, Fressunlust
49	28.05.2004	Riemser Trichophytie-Vakzine	1116109	Bovigrip RSP plus	Rind	10	10	5	Schocksymptom mit Dyspnoe, Herzarrythmien, Schaum vom Maul u. Nase (...blutig). Verendung 30 min bis 6 Std nach Applikation
50	28.05.2004	Riemser Trichophytie-Vakzine	1116109		Rind	38	30	5	Schocksyndrome, Dyspnoe, Herzarrythmien, Agonie

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
51	01.06.2004	Eurifel RCPT	L78357 / L79786	Eurifel FeLV	Katze	1	1	0	1 Tag nach Impfung noch Fieber 41,1 C+Mattigkeit. Lt Besitzer empfindlich im Bereich Applikationsst. Leukose-Impfstoff (bei TA keine Reaktion). Rückgang der Temp. nach s.c. Gabe von Metacam. 1 Tag später All.b. wieder obb. Anm. in letzte Zeit immer wieder Abwehrreaktionen bei Inj. des Leukose-Impfstoffes beobachtet. Ende März reagierte ein anderes Tier bei gleicher Impfkombination auch 2 Tage mit starker Mattigkeit (lt. Besitzerin). Gleiches Haltbarkeitsdatum - vermutlich gleiche Charge
52	01.06.2004	Eurican Merilym	L64092		Hund	1	1	0	Hund entwickelte kurz nach Applikation eine zunächst sterile Dermatitis mit Pusteln+Juckreiz im Schenkelbereich, dann Sekundärinfektionen. Tierbesitzer hat . Tierbesitzer hat dies die Jahre zuvor auch gesehen, um Reaktion von Allergie zu unterscheiden wurde Impfung zeitlich verschoben, Symptome ca 10 Tage
53	03.06.2004	Cunivak MYXO	1710803		Kaninchen	3	2	0	weibliches Tier war kurz nach der Impfung schlapp, bds. Tränende Augen. Zunächst ohne Therapie. Am 19.04 2004 ... in der Praxis wegen hgr. Pockenähnlicher Veränderungen an beiden Ohren. Zweites Tier vereinzelte Pocken an den Ohren.

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
54	03.06.2004	Cunivak PAST	150803		Kaninchen	1	1	1	Am 13.05.04, 10 Uhr, erhielt das klinisch gesunde Tier die Wiederholungsimpfung mit Cunivac PAST gemäß GI. Ca 15 Uhr wurde das Tier erneut vorgestellt mit Unterkühlung (34,9 C) und verstarb trotz Schocktherapie (Flumenthason, Frikadyl) gegen 17 Uhr.
55	14.06.2004	Tetanus-Serum			Hund	1	1	0	Der Hund kam wegen Pfotenverletzung, deshalb haben wir ihm Tetanus_Serum gegeben. Der Kopf ist auf einmal dick angeschwollen, starke allerg.
56	04.06.2004	Trichovac LTF 130	430901		Rind	350	13	0	Auftreten von serologischen...BHV1 -Komplex-Antikörper. BHV1-ge Antikörper negativ
57	17.06.2004	Heptavac P plus	231131/2		Schaf	50	50	40	
58	22.06.2004	Bovidec	BVC 1271		Rind	20	6	1	1 h after vacc.3 heifers showed cardiovascular symptoms.3 further heifers showed the same symptoms but milder during a further h.The heifers which first felt sick have shown downer sympt.One heifer died within 1 h with bloody foam of nose and mouth. The animal died with arrhythmic heart actions and with an emphysema of the lungs.
59	06.07.2004	Stellamune Mycoplasma	L31110/L34483		Schwein	200	10	0	Anaphylaxis with Resp., Anaphylactic shock. Results of lab. Investigation of used vaccine: Endotoxine: <50 EU/ml; bacteriological investigation: negative

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
60	06.07.2004	Stellamune one	L34490		Schwein	200	30	0	Anaphylaxis with Resp., Vomiting and wasting after vaccination. Vomiting was observed a12 h fter vaccination. Diagnose of vet.: Vaccination stress accelerated vomiting and wasting disease. Lab. Diagnostics were not conducted. Piglets were castrated and received iron simultaneously with mycoplasma vaccination NMA was observed in the sows.
61	06.07.2004	Stellamune Mycoplasma	L31110		Schwein	400	200	100	Depression, Anaphylactic shock. Results of lab. Investigation of used vaccine: Endotoxin< 50 EU/ml, Bacteriolog. Investigation: negative
62	06.07.2004	Bovidec	BVD 129		Rind	50	11	0	2hrs after vac vet was called bacck. 1 animal (8 days post partum) showed generalized oedemas and heavy reddened mucosas. 10 further animals showed 10 further animals showed oedemas of the eyelids and red mucosas.
63	30.07.2004	Stellamune One			Schwein	20	10	0	Anaph shock after 2nd vacc ... These animals got the first vacc with Hyoresp(Merial) 2wks before . At first vacc ADE were not observed, In parallel 28 litters were vacc with Hyoresp without problems, Content soya in feedstuffsfor sows; 15-19% piglets 20%

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
64	02.08.2004 via PSUR	Insol Dermatophyton			Pferd	17	10	0	Due to severe symptoms of cracked heels 17 young stallions got their second vacc. During an intensive training period (three days before the stallion test). One to two days following vacc. Ten horses developed painful swelling at the inj. Site (one to two times the size of a fist) Reactions were topically treated with anti-inflammatory and antithrombotic preparations. The veterinarian had not experienced severe reactions when vacc. Horses with Insol.. Under similar conditions in the past
65	02.08.2004 via PSUR	Insol Dermatophyton			Pferd	1	1	0	Three to four days after the third vacc. The horse showed clinical signs of lymphangitis at both sides of the neck and after a few days also at both sides of the abdominal wall. The swollen lymphatic vessels were neither warm nor painful. General condition was not disturbed

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
66	02.08.2004 via PSUR	Insol Dermatophyton			Pferd	1	1	0	One day after first vacc.: apathy, mild symptoms of spasmodic colic, mild diarrhoea; symptoms successfully treated with butylscopolamin and dipyrone; second day: 38.5 C; third day: 39.7 C; treated with antibiotics; fourth day: blood work showed leucopenia (4000); anorexia for 2 weeks; weight loss; got fluids and vitamins i.v. twice; after 1 week: swelling (edema?) in the ventral thoracic and abdominal region, after 2 weeks: painful swelling at the inj. Site; after 4 weeks: rest of edematous swelling also a
67	02.08.2004 via PSUR	Insol Dermatophyton			Pferd	12	10	0	The following Symptoms: Three horses: anorexia, hypermotility of the gut/mild spasmodic colic at day 1, no fever, loose feces at Day 2. Two horses: similar symptoms at Day 2. One 23-year old horse with circulation disorders, quick recovery after treatment Four horses: painful swelling at the inj. Site, anorexia.

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
68	02.08.2004 via PSUR	Insol Dermatophyton			Pferd	4	4	0	Local reactions in the form of moderate swelling at the inj. Site were observed in three horses three days after vacc. After a few days the swelling disappeared without further treatment. One horse developed an abscess which was slightly painful and had the size of an orange. After topical treatment with hyperaemic ointments for 8 days the abscess was surgically opened by incision.
69	05.08.2004	Stellamune One	L34326		Schwein	10	10	10	Shock, death after vacc. Stellamune One has been used before for 1 1/2 years without problems. Routine vaccination of sows: Against E.coli: Porcilis Porcoli, against Erysipelas & Parvovirus: Parvoruvac, against PRRS: Ingelvac PRRS. Routine vaccination of piglets: Against PRRS: Ingelvac. Substitution of Iron: Ursofarran. Conent of soya in the feed stuff: sows: 6-20%, piglets: 22%, fattening pigs: 21%
70	09.08.2004	Bayovac IBR Marker vivum	TK0020x		Rind	142	1	1	Nach durchgeführter BHV1-Impfung ist der Bulle nach 30 Minuten mit Schocksymptomen verendet
71	12.08.2004	Bayovac IBR Marker vivum	TK0020x		Rind				Nach durchgeführter BHV1-Impfung ist der Bulle nach 30 Minuten mit Schocksymptomen verendet
72	24.08.2004	Nobivac RCP	0034098		Katze	3	1	0	Allergische Reaktion mit Kollaps

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
73	26.08.2004	Bovilis IBR Marker	037404B		Rind	37	3	1	Etwa 2 Stunde nach 2 Bestandsimpfung (i.m.) Tachypnoe/Tachycardie/Festlegen trotz Behandlung (Dexamethason) nach 8 Std. verendet
74	26.08.2004	Bovilis IBR Marker	037404B		Rind	15	1	1	Impfwürdiger Bestand am 20.2.04 abends geimpft, 1 Tier verendet vorgefunden am 21.02.04, sofortige Sektion
75	07.09.2004	Eurifel RCP	L70984		Katze	1	1	1	Kurz nach der Impfung (ca 2 min) offene Maulatmung und blase Schleimhäute. Nach Therapie (Prednisolon, Infusion und Dimazon[Fusoremid] Besserung. Nachbehandlung von anderen Tierarzt , nach 18h Euthanasie (angeblich Seitenlage, Lungenödem). Bei allg. Unter
76	07.09.2004	Eurifel RCP	L70984	Eurifel RCPT / L78357	Katze	1	1	1	ca 10 min nach der impfung gab der Kater (im Auto auf den Heimweg) einen langgezogene Schrei von sich und fiel dann um. Intensivste Reanimation blieb ohne Erfaoig (Suprarenin, Doxapram, Intubation, Beatmung, Herzmassage...)
77	07.09.2004	Parvoruvac	W202101B		Schwein		8	1	Sauen am 2.8.04 gegen 9:00 Uhr geimpft. Alle gesund. Am nächsten Morgen lieg 1 Sau tot im Stall

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
78	22.09.2004	Nobivac SHP+LT	SHP:003359D/003328D LT 73140B		Hund	2	1	1	Der Hund rannte nach der Impfung durch den Garten, verbellte noch Fußgänger, lief auf Herrnchen und Tierärztin zu und firl tot um. Der Besitzer verweigert eine pathologische untersuchung. Die beschriebene Reaktion deutet auf Herz-Kreislauf-Versagen hin.
79	22.09.2004	Eurican SHPPi2L	L78284		Hund	1	1	0	Unverträglichkeit: Nachgelieferte Daten - Kurzatmigkeit, Schreien, Schwanken bzw. Gleichgewichtsstörungen, Zittern, Erbrechen, Fressunlust, im Fall einer Hündin, die am der Impfung kastriert wurde, kam es zu einer massiven Anschwellung des Gesichts. Alle Störungen traten ca. 6 Stunden nach der Impfung und verschwanden nach einer Kortisonbehandlung wieder innerhalb kurzer Zeit (ca. 1/2 Tag).
80	22.09.2004	Eurican SHPLT	L92662		Hund	1	1	0	Unverträglichkeit: Nachgelieferte Daten - Kurzatmigkeit, Schreien, Schwanken bzw. Gleichgewichtsstörungen, Zittern, Erbrechen, Fressunlust, im Fall einer Hündin, die am der Impfung kastriert wurde, kam es zu einer massiven Anschwellung des Gesichts. Alle Störungen traten ca. 6 Stunden nach der Impfung und verschwanden nach einer Kortisonbehandlung wieder innerhalb kurzer Zeit (ca. 1/2 Tag).

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
81	22.09.2004	Eurican SHPPi2L	L90276		Hund	1	1	0	Unverträglichkeit: Nachgelieferte Daten - Kurzatmigkeit, Schreien, Schwanken bzw. Gleichgewichtsstörungen, Zittern, Erbrechen, Fressunlust, im Fall einer Hündin, die am der Impfung kastriert wurde, kam es zu einer massiven Anschwellung des Gesichts. Alle Störungen traten ca. 6 Stunden nach der Impfung und verschwanden nach einer Kortisonbehandlung wieder innerhalb kurzer Zeit (ca. 1/2 Tag).
82	24.09.2004	Cunivak Myxo	1760204	Lapimed RHD / L78834	Kaninchen	1	1	0	26.08.04: 3h. Post injektionen, ZNS-Symptome, Umfallen, Kopfzittern, Tier ruhig, Pupillen reflexeverzögert, leichte Gleichgewichtstörungen, Therapie: Dexamethasan und Marbagel s.c.
83	27.09.2004	Baypamune	TK000ZT / KP02N2K		Katze	6	6	0	Schon während der Injektion über aus heftige Schmerzreaktion mit Schreien. Abwehrbewegungen, extremes Fluchtverhalten u. zT. Noch lange andauernde Angst vor Berührung. Inj.Stelle selbst nicht schmerzempfindlich aber erkündet. Die Wirkung d. Medikaments war nicht beeinträchtigt. Eigentlich sollten alle 20 Katzen behandelt werden. Würde nach 6 Tieren (die alle so reagieren) egebrochen.

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
84	29.09.2004	Enduracell T	2078F1		Katze	1	1	1	10.09.2004 Impfung 17:00; Schocksymptomatik ab 21:00 h; Injektion Prednisolon+Antihistamika zeigte vorübergehende Besserung ab 11.09.2004 zunehmend schlechter; am 13.09.2004 gegen 20:00 h verstorben
85	05.10.2004	Duvaxyn IE Plus	RK01600	Duvaxyn EHV1,4; ER09800	Pferd	3	3	1	1 h pv the vac.horses were apathic, did not move, developed anorexia. The mare showed signs of colic as from 18 h on that lasted for 1 day. At 10 p.m. the stallion had T: 40,9 C which could be lowered by Novalgine to 40 C.As from approx. 10 p.m. the stallion suffered and painful colic, which proved to be therapy resistant. The horse was euthanised on 28 September 04 at 4:30 a.m.
86	13.10.2004	Rabdomun	7832E		Pferd	1	1	0	Phlegmone
87	25.10.2004	Stellamune one	L34326		Schwein	160	8	8	Death after vaccination (1-6 hours), the fittest piglets were affected, content of soya in the feed stuff: 18%, routine vaccination of sows: against Erysipelas&Parvovirus with Porcilis Ery+Parvo, 4weeks p.p.=1 week before weaning, against PRRS with Ingelvac PRRS MLV, herd vaccination every 5 month. Routine treatments of piglets: Iron with Ferrum, 1 day p.p.

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
88	26.10.2004	Felocell CVR	L33161 A1		Katze	1	1	0	Fieber 40,8 C, inappetite, schluckbeschwerde, Durchfall-gläßig-blutig (Husten - 1 Tag später bei Druck auf Brustkorb, starke Dyspnoe, später Zungespitze-geschwür, dauerhafte Schluckbeschwerde
89	27.10.2004 (alte Meldung)	Eurican SHPLT			Hund	1	1	1	23.01.04 the Yorkshire Terrier was vaccinated (SHPPi/LT) in hospital and the owner administered him 1 Tablet Milbemax at home.....VEDDRA: lethargy, hyperthermia, death
90	28.10.2004	Enduracell 8	L42307-L42309		Hund	1	1	0	Hund ist nach Impfung krank geworden, hat erhöhte Temperatur und Laryngitis und Rückwertsliegen gezeigt
91	03.11.2004	Enduracell 8	L40196A -2067A		Hund	1	1	1	Verdachtsdiagnose: Parvovirose, hämorrhagisch - enteritische Form; -ausgelöst durch Lebendimpfstoff Enduracell 8 (SH2PP),- begünstigt durch zum Impfzeitpunkt bestehenden akuten Schub einer chronisch - eitrigen, gangränösen Zahnwurzel - und Oberkieferknochenentzündung
92	04.11.2004	Felocell CVR-T	L42396 - L42395		Katze	2	2	0	Inappetenz, Erbrechen, Durchfall, subfebril
93	05.11.2004 via PSUR	Ingelvac PRRS MLV			Schwein	650	100	0	About 3 days after second vac. about 100 animals developed pustules at the inject.site. Skin around inject.site was reddened, but no obvious pain or any influence on general health status was observed. 3-4 days later symptoms were gone without treatment.

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
94	18.11.2004	Resequin NN Plus	73311B	Equilis Tetanus Vaccine (72310A)	Pferd	1	1	0	4 Tage Fieber 39,6 C; Apathie, Starre gesamter Körper, Spritzenabzeß, frißt und säuft nicht, wie Kreuzlahm. 27.05.04: Herzgeräusch Klasse IV +Blutwerte; 29.05.04: Kreislaufversagen nach Prüfung; 20.07.04: Befund: Mitralklappe schließt nicht mehr richtig Pony aus dem Sport genommen.
95	18.11.2004	Bayovac IBR Marker vivum	TK000R9, KP02A		Rind	368	9	5	Die Impfung von 368 Bullen, die am 15.09.2004 angeblich gesund und impffähig waren, erfolgte im Rahmen des Pflichtprogramm Niedersachsen. Es kam zu insgesamt 5 Todesfällen von ca. 17 Monate alten Bullen. 1 Bulle verendete am 16. Sept., zwei am 17. Sept. 20. Sept. Als Zeichen der vermuteten Nebenwirkung wurden respiratorische Symptome, unruhiges Verhalten, Exitus beschrieben. Die Sektionsbefunde: beschreiben ausser Autolyse des Herzens und Veränderungen am Myocard bei drei Tieren.

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
96	09.12.2004	RIKA-VACC	1011803		Kaninchen	30	6	6	Fressunlust, histologische Untersuchungen: Nachweis für RHD typischen Organveränderungen; bakteriologische: kein Nachweis bakterieller Krankheitserreger, einschließlich Salmonellen; Parasitologische: Kokzidienoozysten in geringer Zahl nachgewiesen; Endbefund: RHD = Chinaseuche
97	09.12.2004	Dercunimix			Kaninchen	30	24	24	Mikrobiologische Untersuchungen: in Milz und Darm konnten E.coli nachgewiesen werden. Virologische Befunde: HA, RHD-Virus, Antigentitration - positiv (>1 2048). Krankheiten/ Diagnosen: - Leberdegeneration; - Hämorrhagische Septikämie der Kaninchen (RHD) Endbefund: Aufgrund der pathologischen Veränderungen und des pos. Virusnachweises konnte eindeutig RHD als Krankheits- bzw. Todesursache nachgewiesen werden. Der bakterielle Erregernachweis von E.coli ist als Sekundärinfektion zu betrachten.
98	09.12.2004	Porcilis PRRS	37643B und 37645A	+ Diluvac forte	Schwein	100	11	1	Aborte im Anschluß 24-48 Std nach Impfung bei 10 Tieren, ein Tier verendet. Tiere hochakut erkrankt, Schockähnliche Symptome. 1 Nichttragendes Tier verendet. Vor allen Jungsauen betroffen. 1 Eber schwer erkrankt.

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
99	09.12.2004	Porcilis PRRS	37643B und 37645A	Diluvac forte	Schwein	60	7	0	Aborte 48-72 Std nach Impfung. Tieren zeigen eine Allgemeinerkrankung. Aborte in verschiedenen Trächtigkeitsstadien.
100	09.12.2004	Porcilis Ery + Parvo	73264-A		Schwein	2	2	1	One sow died 20 seconds after vaccination, another sow aborted the next day, about half of the sows showed reduced feed intake for 4-5 days. Cause of death: shock suspected, no final diagnosis
101	16.12.2004	Enduracell LT	L43542		Hund	1	1	0	da 1 Jahr zuvor Reaktion (umfallen), 1/2 h vorher Beuedryl 0,5 ml gespritzt. Nach 3h Erbrechen bis abends (ca. 3h, 3 mal).
102	17.12.2004	Fevaxyn i-CHP Chlam	271 BY 3001		Katze	1	1	1	Katerchen war am Abend der Schutzimpfung matt, kein Erbrechen oder Durchfall. T 40,5 C. (ges.... anderen arts wg. "schnüpfen" euthanasiert worden). FIP nicht ausgeschlossen, evaluation des Patient wird versucht werden, Pathol-anat. Untersuchung einzuleiten.
103	17.12.2004	Fevaxyn i-CHP Chlam	271 BY 3001	Enduracell T; L42533	Katze	1	1	0	am Tag nach der Schutzimpfung matt + müde, anorexie. T 39,8 C (Katze hatte bei Impfung Durchfall, jetzt matt T 40,7...
104	20.12.2004	Circovac	L132203		Schwein	205	203	0	An der Injektionsstelle trat eine hart gerötete Schwellung vo c. 5 cm Durchmesser auf, die für ca. 4-7 Tage bestehen blieb. Eine verringerte Futteraufnahme oder andere klinische Anzeichen waren nicht feststellbar.
105	20.12.2004	Circovac	L132203		Schwein	183	3	0	Frühgeburt bei 3 Sauen

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
106	20.12.2004	Enduracell 8	L42308 L42306		Hund	1	1	0	Anaphylaxis. Anaphylactic shock after vaccination (Vomitus, tremor, convulsions). The unexpected signs were with Hexodreson +MCP treated.
107	07.01.2004 via PSUR	Eurifel FeLV		FeliniffaPHC, Rabisin	Katze	2	2	0	After vaccination with Feliniffa PHC+Rabisin (mixed in 1 syringe) and Eurifel FeLV (other site of injection) at the same time 2 cats had high temperature and were apathetic on the next day (probably recovered the following day).No information on treatment
108	28.01.2005 via JM	Bovidec			Rind	60	3	0	Abortion about 7 days after vaccination
109	28.01.2005 via JM	Bovidec			Rind	36	1	0	Oedema, erythema: Systemic allergic reaction
110	28.01.2005 via JM	Bovidec			Rind	20	3	0	Generalised oedema, swollen subcuris, bloody infiltrated conjunctiva, resrlessness, cardio vascular symptoms
111	28.01.2005 via JM	Bovidec			Rind	50	4	0	Allergic reaction: Red coloured conjunctiva, swollen conjunctiva, oedema of the vulva and mycosa of the mouth, dyspnoe
112	28.01.2005 via JM	Bovidec			Rind	167	68	0	64 animals swelling of the eye lids, 4 animals swelling in the area of the head
113	28.01.2005 via JM	Bovidec			Rind	50	30	0	Oedema of the eye lid and vulva
114	28.01.2005 via JM	Bovidec			Rind	179	16	0	Oedema of the eye lid, vulva and head. 1 animal also swelling of the pharynx
115	28.01.2005 via JM	Verruvac			Rind	40	4	0	Swelling at the injection site and development of an abscess

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
116	17.02.2005 via JM	Ingelvac PRRS KV	L64958/L68417		Schwein	650	100	0	About 3 days after second vaccination many (about 100) animals developed pustules at the injection site. Skin around injection site was reddened but there was no obvious pain nor any influence on general health status. 3-4 days later symptoms were gone
117	17.02.2005 via JM	Insol Trichophyton	981 A		Rind	4	1	1	Schock -reaction following vaccination
118	17.02.2005 via JM	Insol Trichophyton	981 A		Rind	10	10	2	10 minutes to 3 hours after vaccination animals developed schock symptoms
119	17.02.2005 via JM	Insol Trichophyton	962 A		Rind	5	4	1	the five animals were vaccinated in the late afternoon. The next morning one animal was found dead and 2 others had a tired appearance for some more hours. Animals have not been watched after vaccination so that it is not know how the one animal died
120	17.02.2005 via JM	Ingelvac PRRS MLV	245-852		Schwein	32	2	0	Two animals aborted after vaccination (5 and 6 days respectively)
121	17.02.2005 via JM	Ingelvac PRRS MLV	145-852		Schwein	185	5	1	Five animals aborted after vaccination (4 to 8 days following vaccination) at 50th - 90th day of pregnancy. One animal was euthanized 3 days after abortion and was necropsied. Necropsy revealed Pyelitis and Ureteritis
122	17.02.2005 via JM	Ingelvac PRRS MLV	245-859		Schwein	193	1	1	Some hours after vaccination one older sow in early pregnancy was found dead. Nobody has seen how the sow died and to necropsy has been done.

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
123	14.03.2005 via JM	Eurican Merilym	L93266		Hund	1	1	0	Schlapp, schmerzäußerungen
124	14.03.2005 via JM	Eurican Merilym	L93266		Hund	1	1	0	Erstimpfung 10 Tage DAUER, Schlapp keine Futteraufnahme
125	14.03.2005 via JM	Eurican Merilym	L93266		Hund	1	1	0	dauert noch an, schlapp 40 C, Erbrechen, Durchfall
126	14.03.2005 via JM	Eurican Merilym	L82630		Hund	1	1	0	dca. 10 Tage nach der Impfung plötzliches Auftreten von Polydipsie/Polyurie. Laboruntersuchung vom 05.08.04 ergab die Diagnose Diabetes mellitus (Glucose: 345 mg/dl, Fruktoseamin: 659 µmol/l)
127	14.03.2005 via JM	Ibraxion	L71074		Rind	430	430	0	nach Impfung von 430 Milchkühen kam es nach 2 Tagen zu einem Abstürzen der Milchleistung von 10.953 l am Tag der Impfung auf 10.712 l (= -2,2%). Am 3 Tag nach Impfung stieg die Leistung wieder auf 11.226 l.
128	14.03.2005 via JM	Eurican SHPL	L73603		Hund	1	1	0	um ca 16:30 Uhr Untersuchung + Impfung subcutan, um 19:45 Leffen und Gesichtsbereich stark angeschwollen, Augen zugeschwollen (nach Beh. Mit Prednisolon) innerhalb 1 Tages abgegangen)
129	14.03.2005 via JM	Eurican SHPPi2L	L78284		Hund	2	1	0	sekunden nach der Impfung: Kreislaufschock, Kot + Uriaabsatz, ... Therapie: 0,2 ml Medrate solubile (Cortison)

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
130	14.03.2005 via JM	Eurican SHPPi2	L76766/L79046	Eurican LT	Hund	1	1	0	plötzlich schwankender Gang, hinsetzen und dann Kollaps; Kreislauf zentralisiert; KRZ 5 sec; Augen zudrücken, zeitweise hecheln; Tachykardie; nach Verabreichung von Medrate solubile und 300 ml Ethylösung i.v., innerhalb von 20 min vplständige Wiederherst
131	14.03.2005 via JM	Eurican SHPPi2L	L90252/L73603		Hund	1	1	0	ca. 3-5 min nach Applikation, Erbrechen, Schockreaktion, Apathie nach ca. 2 Stunde starkesödemat. Anschwellen d. Kopfes
132	14.03.2005 via JM	Eurican SHPPi2	L73598 (SHPPi2)	Eurican LT	Hund	1	1	0	25.02.04 ca. 10:30 Impfung , ca 1 h später Allergische Reaktion: Schwellung, Leftzen, Verkriechen,...Juckreiz.. Augen halb zugeschwollen
133	14.03.2005 via JM	Chlamyvax FQ	L74251		Rind	11	2	0	Bei beiden Tieren innerhalb ~30 min Ödeme an gesamten Körper, Atemnot, Urlica, Juckreiz. Nach Gabe von Dexamethason Besserung. Am nächsten Tag Symptomenfrei
134	14.03.2005 via JM	Eurifel RCP	L70984		Katze	1	1	0	nach 2 Tagen Tier sehr matt, sehr heiß. 1 Tag lang, Ly. mand. Stark vergrößert (Besitzer) auch nach 3 Wochen später noch deutlicher größer (TA) . Lt. Tierbesitzer jedoch kleiner geworden
135	14.03.2005 via JM	Virbagen felis RCP		Virbagen Felis RCP/T and Leucogen	Katze	1	1	0	Administration site lump (painful nodule), 12 days after last injection
136	14.03.2005 via JM	Virbagen felis RCP			Katze	12	12	0	Polyarthrititis-like signs, 1-2 days after injection

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
137	14.03.2005 via JM	Virbagen felis RCP			Katze	2	1	0	Moisten eczema at paws 4 days after injection
138	14.03.2005 via JM	Virbagen felis RCP			Katze	1	1	0	Administration site swelling
139	14.03.2005 via JM	Virbagen felis RCP		Virbagen Felis RCP/T	Katze	1	1	0	Vomiting, diarrhea, hyperthermia, thrombocytopenia, non regenerative anaemia 4 month after 2nd injection. Parvovirus detected
140	14.03.2005 via JM	Virbagen felis RCP		Virbagen Felis RCP/T	Katze	1	1	1	Sudden death 8-9 month after injection. Parvovirus Antigen detected
141	14.03.2005 via JM	Virbagen felis RCP/T			Katze	1	1	0	Cramp, vomiting, bradycardia, mucosae haemorrhages and low hematocrit
142	14.03.2005 via JM	Virbagen felis RCP/T			Katze	5	5	4	Nasal discharge (4/5), respiratory distress (5/5) some days after the 1st injection
143	14.03.2005 via JM	Virbagen felis RCP/T			Katze	4	2	0	Salivation elevated, fasciculation (heavy twitching: coat and skin), circling and hyperthermia
144	14.03.2005 via JM	Virbagen felis RCP/T			Katze	6	2	0	Administration site abscess, 2 days after injection
145	14.03.2005 via JM	Virbagen felis RCP/T		Leucogen	Katze	1	1	0	Hypersalivation, vomiting, breathing difficulties and respiratory sounds few minutes after injection
146	14.03.2005 via JM	Virbagen felis RCP/T			Katze	1	1	0	Allergic reaction. Restlessness, crying, pain and apathy, several hours after injection
147	14.03.2005 via JM	Virbagen felis RCP/T		Leucogen	Katze	1	1	0	Allergic reaction, generalized pruritus, apathy, diarrhea and hyperthermia 0,5-1 hour after injection

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
148	14.03.2005 via JM	Virbagen felis RCP/T			Katze	1	1	0	Dullness, apathy, rduced appetite, hyperthermia and yellow mucous membranes
149	14.03.2005 via JM	Virbagen felis RCP/T			Katze	1	1	1	Suspicion of parvovirosis. Bloody vomitus and death, 9 days after 1st injection.
150	14.03.2005 via JM	Virbagen felis RCP/T			Katze	30	30	0	Administration site lump (nodules)
151	14.03.2005 via JM	Leucogen			Katze	2	1	1	Vomiting, blood in the urine, dyspnea and epistaxis within a short delay. Death
152	14.03.2005 via JM	Leucogen			Katze	1	1	0	Administration site tumor, 5 month after injection. Fibrosarcoma confirmed
153	14.03.2005 via JM	Virbagen Canis SHA2P/L			Hund	3	1	0	Falling, abnormal movements (walking against the wall) and blindness 10 days after vaccination
154	14.03.2005 via JM	Virbagen Canis SHA2P/L			Hund	2	1	0	Facial oedema, vomiting, diarrhea and swelling at whole body 2-3 days after vaccination
155	14.03.2005 via JM	Virbagen Canis SHA2P/L			Hund	1	1	1	Found dead, 3 hours after vaccination
156	14.03.2005 via JM	Virbagen Tollwut- Impfstoff			Pferd	5	2	0	Administration site swelling, inflammation and pain about 2 days after injection
157	14.03.2005 via JM	Virbagen Canis SHA2P/LT			Hund	1	1	0	Haemolytic anaemia, loss of condition score, apathy, lateral recumbency. Leptospirosis signs
158	14.03.2005 via JM	Virbagen Canis SHA2P/LT			Hund	2	2	0	Trembling, panting, excitation, salivation elevated and administration site pain within a short delay after injection

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
159	14.03.2005 via JM	Virbagen Canis SHA2P/LT			Hund	13	13	0	Apathy, stiffness, forelimbs and weakness
160	14.03.2005 via JM	Virbagen Canis SHA2P/LT			Hund	10	10	0	Administration site swelling and loss of condition score 2-3 days after injection
161	14.03.2005 via JM	Virbagen Canis SHA2P/LT			Hund	1	1	0	Gasping, lymphadenopathy, hyperthermia, weakness, anorexia and kennel cough like symptoms
162	14.03.2005 via JM	Virbagen Canis SHA2PPi/LT			Hund	1	1	0	Trembling, spastic muscle contractions and stiffness
163	14.03.2005 via JM	Virbagen Canis SHA2PPi/LT			Hund	1	1	0	Administration site swelling (serous fluid), and hyperthermia, 5 days after injection. Administration site necrosis, 8 days after injection
164	14.03.2005 via JM	Virbagen Canis SHA2PPi/LT			Hund	1	1	1	Administration site swelling and apathy 1 day after injection. Administration site oedema, dyspnea and death 2 days after injection. Septicaemia (streptococcus), revealed by analysis
165	14.03.2005 via JM	Virbagen Canis SHA2PPi/LT			Hund	4	2	1	Administration site swelling, 1 and 4 days after injection. Administration site abscess (phlegmon) (1/2). Cutaneous necrosis at whole abdomen. Hyperthermia 2/2 Swelling of the extremities 1/2. Death by euthanasia 1/2.
166	14.03.2005 via JM	Virbagen Canis SHA2PPi/LT			Hund	1	1	0	Oedema at head some hours after injection
167	14.03.2005 via JM	Virbagen Canis SHA2PPi/LT			Hund	2	2	0	Administration site swelling, 3-4 weeks after injection
168	14.03.2005 via JM	Virbagen Canis SHA2PPi/LT			Hund	1	1	0	Administration site lump (painful nodule), 1 day after injection

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
169	14.03.2005 via JM	Virbagen Canis SHA2PPi/LT			Hund	1	1	0	Corneal oedema, 12 days after injection
170	14.03.2005 via JM	Virbagen Canis SHA2PPi/LT			Hund	10	2	0	Swollen head 1/2, some hours after injection. Diarrhea and vomiting, 5-6 days after injection. Positive Parvovirus test (2/2)
171	14.03.2005 via JM	Virbagen Canis SHA2PPi/LT			Hund	1	1	0	Administration site swelling, pruritus and urticaria, some hours after injection 1 day after injection
172	14.03.2005 via JM	Virbagen Canis SHA2PPi/LT			Hund	1	1	0	Administration site swelling, 2 days after injection
173	14.03.2005 via JM	Virbagen Canis SHA2PPi/LT			Hund	1	1	0	Anaemia and vomiting, 22 days after injection
174	14.03.2005 via JM	Virbagen Canis SHA2PPi/LT			Hund	1	1	0	Swelling at the injection site with urticaria and pruritus, 3 months after vaccination
175	14.03.2005 via JM	Virbagen Canis SHA2PPi/LT			Hund	1	1	1	Epilepsy seizures, 10 days after injection. Death by euthanasia
176	14.03.2005 via JM	Virbagen Canis SHA2PPi/LT			Hund	1	1	0	Vaginal discharge, serous and then purulent, 2 days after injection. Vomiting and haemorrhagic diarrhea, for 3 weeks.
177	14.03.2005 via JM	Virbagen Canis SHA2PPi/LT		Virbagen Canis SHA2PPi/L	Hund	6	6	0	Administration site swelling, 3-4 days after injection
178	14.03.2005 via JM	Virbagen Canis SHA2PPi/LT			Hund	20	20	0	Node at the injection site
179	14.03.2005 via JM	Virbagen Canis SHA2PPi/LT			Hund	1	1	1	Leptospirosis positive to (L.Autumnalis and L.Kopenhageni) Vomiting, cramp and coma, some hours after injection. Death by euthanasia, 1 day after injection

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
180	14.03.2005 via JM	Virbagen Canis SHA2PPi/LT			Hund	1	1	0	Urticaria, 2 days after injection. Blood parameter increased
181	14.03.2005 via JM	Virbagen Canis SHA2PPi/LT			Hund	1	1	0	Probable allergic reaction Facial swelling, 6 hours after injection
182	14.03.2005 via JM	Virbagen Canis SHA2PPi/L			Hund	17	4	0	Administration site haematoma 1/4 Administration site swelling 3/4
183	14.03.2005 via JM	Virbagen Canis SHA2PPi/L			Hund	2	2	0	Paralysis like signs, listlessness, hypersensitive and pain 1 hour after injection
184	14.03.2005 via JM	Virbagen Canis SHA2PPi/L			Hund	7	1	1	Cramp and vomiting about 1 week after injection. Death by euthanasia 1 month after injection
185	14.03.2005 via JM	Virbagen Canis SHA2PPi/L			Hund	1	1	0	Trembling and agitation some hours after injection
186	14.03.2005 via JM	Virbagen Canis LT			Hund	1	1	0	Administration site pain, few hours after injection
187	14.03.2005 via JM	Virbagen Puppy 2b			Hund	21	4	4	Just imported from Eastern Europe. Death from 6 hours to 1,5 days after vaccination without any symptoms
188	15.03.2005 via PSUR	Virbagen Omega			Katze	1	1	1	Vomiting
189	15.03.2005 via PSUR	Virbagen Omega			Katze	1	1	1	Apathy and mild tachycardia 1 hour after injection. Death about 1 day after injection
190	15.03.2005 via PSUR	Virbagen Omega			Katze	1	1	0	Hyperthermia, trembling and circulatory disturbance, 15-20 minutes after injection
191	15.03.2005 via PSUR	Virbagen Omega			Katze	1	1	1	Vomiting, loss of appetite, bad renal values, plaque at nose 4 month after the last injections. FIV test negative on November. Death by euthanasia

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
192	21.03.2005 via JM	Bovisaloral			Rind	10	10	0	geimpften Kälber reagieren an 3.d nach der Impfung mit einer Fieberreaktion.
193	21.03.2005 via JM	Cunivak PAST	13 11 02		Kaninchen	1	1	0	Abscessbildung nach Impfung bei Löwenköpfchenkaninchen, Alter 1,5-2 Jahre
194	21.03.2005 via JM	Cunivak PAST	11 01 02		Kaninchen	1	1	0	Schwellung bei bis zu 70% der Impflinge, z.Z. mit Knotenbildung an Applikationsstelle, vereinzelt haarlose Stellen oder geringgradiger Eiternachweis ca. 1-3 Wochen post vacc. Charge war in 01/04 abgelaufen
195	21.03.2005 via JM	Cunivak PAST	12 08 02		Kaninchen	8	1	1	zeitgleich ortsgetrennte Gabe von Cunivac PAST und Cunivac RHD bei 8 Tieren (Zierkaninchen) in einem Zooladen. 3d post vacc. 1 ohne irgendwelche Auffälligkeiten verstorben.
196	21.03.2005 via JM	Respiporc ART+EP	50 06 03		Schwein				Massive lokale Reaktionen an der Injektionsstelle
197	21.03.2005 via JM	Zoosal T	32 02 03-A		Tauben	30	30	0	kirsch- bis taubeneigroße Abszessbildung im Injektionsbereich am Hals/Nacken, ohne Störungen Allgemeinbefinden bei 30 Brieftauben; krümeliger Eiter; zeitgleich Zoosal T+Lasovak Plus wie folgt, Zoosal T linke Halsseite, Lasovak Plus rechte Halsseite

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
198	21.03.2005 via JM	Cunivak MYXO	169 06 03		Kaninchen	1	1	0	Ataxien und Lähmungserscheinungen der vorderen Gliedmaßen am Abend nach Impfung; Streckkrämpfe am darauf folgenden Tag beobachtet; Fressverhalten am Tag der Meldung in Ordnung
199	21.03.2005 via JM	Feliserin PRC	02 09 03		Katze	3	2	0	Bei einer Katze von 3 behandelten Tieren; massiver Durchfall+Erbrechen 1h post vaccination insgesamt 3 Applikationen, 2x2 ml, 1x4 ml dann Reaktion; bei andere - Gesichtsschwellung ca. 3 h post applikation; Juckreiz
200	21.03.2005 via JM	Feliserin PRC	003 01 04		Katze	25	25	0	Bei 25 behandelten Schnupfenkatzen 2 d post applicationem; anstieg Körpertemperatur, weiter Reduktion Allgemeinbefinden, sinkender Appetit; Fieber z.T >40 C (Extremfall 41,7 C)
201	21.03.2005 via JM	Feliserin PRC	003 01 04		Katze	2	1	0	Bei einer von 2 behandelten Katzen 1min. Post appl. Erbrechen, Seitenlage nach 1 massiver Durchfall+Erbrechen 1h post vaccination insgesamt 3 Applikationen, 2x2 ml, 1x4 ml dann Reaktion; bei andere - Gesichtsschwellung ca. 3 h post applikation; Juckreiz
202	21.03.2005 via JM	Lasovak Plus	80 08 03		Tauben	100	10	0	Im Bestand mit ca. 100 Tauben bei 10% der Tiere Granulome bis Kirschkernegröße bei einzelnen Tieren, hart-knotig, kein Abszeßverdacht

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
203	21.03.2005 via JM	Respiporc FLU	160 09 03		Schwein	26	26	0	Fieberreaktion, Apathie bei 26 Sauen; erstmalig eingetretene Reaktionen; alle 14 Tage werden laktierende Sauen zu diesem Zeitpunkt mit Respiporc FLU geimpft; bereits 5 Durchgänge mit o.g. Charge ohne Nebenwirkungen
204	23.03.2005 via JM	Rotavec Corona			Rind	10	2	0	10 cows were vaccinated once before parturition. 2 cows had an abortion 2 days and 3 days respectively after vaccination. An pathological examination will be conducted. Follow-up will be provided. (Outcome: recovered)
205	23.03.2005 via JM	Rotavec Corona			Rind	10	10	0	10 cows were vaccinated with Rotavec corona in the hind leg (nonce before parturition. 2 cows had an abortion 2 days and 3 days respectively after vaccination. An pathological examination will be conducted. Follow-up will be provided. (Outcome: recovered)
206	23.03.2005 via JM	Rabdomun	7832C1		Pferd	1	1	0	Abscess formation at the injection site with severe swelling of neck, brest and forelimbs. The horse is still under treatment in an equine clinic. Abscess

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
207	23.03.2005 via JM	Pulpyvax T			Schaf	38	38	0	38 lambs were vaccinated with 2 ml Pulpyvax T at the side of the chest. After 3-5 days all lambs showed lameness at the left frontleg. Small to fist large swelling developed at the injection site, some of wich became abscesses. All affected lamby recovered
208	23.03.2005 via JM	M+PAC	7997A2A		Schwein	1200	500	2	1200 swine app. 3 weeks of age were vaccinated with 2 ml M+PAC. Within 2 hours after injection, piglets in about 50% of the litters developed mounth-breathing, emesis and watery diarrhea. The affected animals were apathetic and did not drink. Affected animals were treated with 0,3 ml of Dexametasone and oral Tylosine. About 18 hours after the incident, all except two pigs recovered. Two pigs became recumbent, were euthanised and a necropsy report is expected. (Outcome: recovered)

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
209	23.03.2005 via JM	Covexin 8			Schaf	350	30	0	On the following days the veterinarian vaccinated sheeps in a farm: 20.1.04: 66 lambs (14 days old, first vaccination); 26.1.04: 65 lambs; 3.2.04: 70 lambs (first vaccination), 66 lambs (second vaccination); 10.2.04 lambs (first vaccination), 64 lambs (second vaccination). On february 13, 2004 the first adverse reactions were noticed: abscesss at inj. Site (about 5 cm) of 30 lambs. Follow up will be provided
210	23.03.2005 via JM	Covexin 8			Rind	250	125	0	About 250 cattles were vaccinated with Covexin 8 on December 9, 2004. Since one day after vaccination about 50% of the animals showed inappetence, slight fever, lamness, and reduction of milk production. 21.12.04 fully recovered
211	23.03.2005 via JM	Porcilis PRRS		Diluvac Forte	Schwein	180	6	1	Circulatory problems in 5 pigs immediately after vaccination, falling down, getting up and remain laying motionless. Red spots, becoming blue a bit. Shout dark blue with little foam. One pig dead one day p.vacc. With bloody foam around snout.
212	23.03.2005 via JM	Porcilis PRRS	37643B-1		Schwein	60	5	1	One gilt died 5-6 h p. vacc, 3 sows with fever 40-41 C one day p.vacc. One sow early farrowing 7 days p.vacc., all piglets dead within two days

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
213	23.03.2005 via JM	Porcilis PRRS	37695-B-1	Diluvac forte 53121	Schwein	250	16	0	in mating unit, mucuous vaginal discharge. Normal general condition (extra label-use : use not according to label)Serology: high Leptospira (bratislava), Erysipelas and Parvo-Titers, high and consistent PRRS titers
214	23.03.2005 via JM	Porcilis Glässer	7338 1A		Schwein	180	4	0	3-4 abortions, early farrowing, small and weak born piglets. Affected gilts have been primed in quarantine as they were already pregnant when Glässer vaccination was introduced. On farm gilts are vaccinated with Respiporc FLU (2x), Porcilis PRRS (1x), Parvoruvac (2x)
215	23.03.2005 via JM	Porcilis Ery + Parvo	73258-A; 73256-C		Schwein	160	7	0	One litter born 2 days after vaccination with increased mortality, piglets with swollen joints, 3 sows with early farrowings, 4-5 days earlier than expected, 3 sows returned-to-estrus
216	23.03.2005 via JM	Porcilis Ery + Parvo	72138A		Schwein	200	4	0	Time between 2-3 days. Administration/Reaction: decreased feed intake of whole herd, 4 abortions (4 weeks of pregnancy)
217	23.03.2005 via JM	Porcilis Ery + Parvo	72138A		Schwein	250	4	0	4 abortions (2 sows mated 23.12.03, 2 sows mated 22.01.04). 5 return-to-oestrus (3 weeks of gestation), decreased feed intake between 17.03 and 20.03.2004. Previously vaccinated with Eryorb Parvo (Sep 2003) and Suvaxyn Parvo/E (Marc 2003)

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
218	23.03.2005 via JM	Porcilis Ery + Parvo	73264-A		Schwein	205	2	1	One sow died 20 second after vaccination, another sow aborted the next day, about half of the sows showed reduced feed intake for 4-5 days
219	23.03.2005 via JM	Porcilis Ery + Parvo	73265-A		Schwein	75	18	0	2 abortions 4-5 days before farrowing, 1 at 6 weeks of gestation. 15 sows with local reactions, general condition impaired. Last Ery-Parvo vaccination on this farm was carried out with Suvaxyn Parvo/E in Feb.04
220	23.03.2005 via JM	Porcilis Ery + Parvo	73264A		Schwein	180	3	0	Time between few hours to days: Fever (up to 41 C), 2 abortions, 1 sow dead
221	23.03.2005 via JM	Porcilis APP	730110 A		Schwein	190	10	2	Two of the sows died, eight others aborted
222	23.03.2005 via JM	Nobivac SHPPi	00353A 73173C	Nobivac Lepto	Hund	1	1	0	5 hrs pi restless, itchy, skin reddening
223	23.03.2005 via JM	Nobivac SHPPi	0425-3042 73173C	Nobivac Lepto	Hund	2	1	0	1 day later fever, apathy, liver swelling
224	23.03.2005 via JM	Nobivac SHP+LT	72222B/002340		Hund	1	1	0	Seroma and pain at inj.site
225	23.03.2005 via JM	Nobivac RCP	003361C	(Synonym N.Tricat)	Katze	3	2	0	30 mins p.appl.- Vomiting, salivation
226	23.03.2005 via JM	Nobivac RCP	002409	(Synonym N.Tricat)	Katze	1	1	0	Cat reacting with vomiting and diarrhea
227	23.03.2005 via JM	Nobivac RCP	002409	(Synonym N.Tricat)	Katze	1	1	0	4-6 hrs: Vomiting and diarrhea, bledening from inj. Site

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
228	23.03.2005 via JM	Nobivac RCP	003409D	(Synonym N.Tricat)	Katze	3	3	0	Vomitus, Fever. Cat showed clinical signs like described, was referred to university clinic where a diagnostic laparotomy was performed. No findings. University vet doesnt give any clear diagnosis.
229	23.03.2005 via JM	Nobivac KC	003416B		Katze	2	2	0	4-10 days later swollen submandibular Inn. Fever
230	23.03.2005 via JM	Nobivac Bb	003351E		Katze	1	1	0	Non sneezing cat started to sneeze 2 days after application and ever since gets recidives without antibiotics. Flu Symptoms
231	23.03.2005 via JM	Equilis Influenza NN	73323A		Pferd	3	3	0	After vaccination one horse showed local reactions at the injection site - local abscess. One abscess had to be split.
232	23.03.2005 via JM	Equilis Influenza NNT	72551 A-1		Pferd	1	1	0	36 hours after vaccination the horse showed myositis, fever (39,5 C), leg oedema; after treatment the muscle alteration diminished to as big as one's fist. No abscess. At least the horse recovered completely after several treatments. Local reaction at inj.site; myositis
233	23.03.2005 via JM	Equilis Influenza NNT	72551 C		Pferd	2	1	0	Ten days after vaccination a local abscess was noticed at the inj. Site in both horses; no fever

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
234	23.03.2005 via JM	Equilis Influenza NNT	73324A		Pferd	4	3	0	After vaccination 4 horses showed a local swelling at the inj.site and fever. Gradually in each horse an abscess developed gradually. Those had to be split and medicated extensively
235	23.03.2005 via JM	Bovigrip RSP plus	49117		Rind	200	2	1	fever, hyperventilation, dyspnoea, shock, death (illness, circulation disorders, shock)
236	23.03.2005 via JM	Bovigrip RSP plus	39309A	Bovigrip RSP plus 49117C	Rind	55	2	2	fever, pneumonia, anaphylactoid reaction
237	23.03.2005 via JM	Bovigrip RSP plus	39309B	Bovigrip RSP plus 82a/97	Rind	145	1	1	hyperpnoe, weakness, anaphylactoid shock
238	23.03.2005 via JM	Bovigrip RSP plus	49113A	Bovigrip RSP plus	Rind	25	1	1	anaphylactoid reaction, shock
239	23.03.2005 via JM	Bovigrip RSP plus	399274A	Bovigrip RSP plus	Rind	30	15	1	fever, pneumonia, cough, breakdown of circulation, dyspnoea
240	23.03.2005 via JM	Bovigrip RSP plus	39124C	Bovigrip RSP plus	Rind	95	4	1	anaphylactic shock, death 4 hours post vaccination
241	23.03.2005 via JM	Bovilis IBR Marker	037393B		Rind	200	25	4	acute fever, pneumonia, hyperventilation, weakness, dyspnoe, fever, circulation shock
242	23.03.2005 via JM	Bovilis IBR Marker	037405A		Rind	50	4	1	acute fever, pneumonia, hyperventilation, weakness, dyspnoe, fever, circulation shock
243	23.03.2005 via JM	Bovilis IBR Marker	27554C		Rind	2	2	2	1. cow: high-grade weakness and foam in the mounth; 2.cow: no milk harvest; apathetic; 1. E.coli mastitis; 2. Cl.perfringens
244	23.03.2005 via JM	Bovilis IBR Marker	37402B	Ringworm vaccine	Rind	50	4	1	clinical signs of pneumonia, tachycardia, hyperventilation, acute fever; euthanasia

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
245	23.03.2005 via JM	Bovilis IBR Marker			Rind	70	1	1	Rhinitis, tracheitis, conjunctivitis, weakness, dyspnoea, collaps
246	24.03.2005 via JM	Suvaxyn Parvo/E			Schwein	18	18	0	18 sows were vaccinated in April 2004 and developed abscesses (size of a man's fist) 3-4 weeks pv with Suvaxyn Parvo/E. The vet reported that the vaccine was viscid. Vaccination was performed by owner.
247	24.03.2005 via JM	Suvaxyn Parvo/E			Schwein	100	5	0	In April and June 03, 50 sows each were vaccinated. 3-4 days pv swelling occurred (no, of reacting animals unknown). After 3-4 weeks superficial and profound abscesses appeared.
248	24.03.2005 via JM	Suvaxyn Parvo/E			Schwein	70	70	0	In Nov 02 and Jan 03 vaccinated sows, 35 each (dates of treatment unknown) reacted 3 days pv with ulcerations and marked reddening of skin. After some time (unknown days) abscesses appeared.
249	24.03.2005 via JM	Suvaxyn Parvo/E			Schwein	51		0	In Jan and June 03 50 sows and one boar were vaccinated (dates unknown). 1 day pv fever occurred in boar and some gilts. 3-5 days after treatment local reactions occurred. After unknown days abscesses or local irritation were observed
250	24.03.2005 via JM	Suvaxyn Parvo/E			Schwein	105	26	0	Vaccinated were sows (not-gestating and gestating). 26/105 sows had massive allergic reactions (reddening). Inflammation, painful sites on neck, size of a hand). Later abscesses developed in about 20% of reacting animals.

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
251	24.03.2005 via JM	Suvaxyn Parvo/E			Schwein	84	21	0	Vaccinated were sows (not-gestating and gestating). 21/84 sows had massive allergic reactions (reddening). Inflammation, painful sites on neck, size of a hand). Later abscesses developed in about 20% of reacting animals.
252	24.03.2005 via JM	Suvaxyn Parvo/E			Schwein	45	11	0	Vaccinated were sows (not-gestating and gestating). 11/45 sows had massive allergic reactions (reddening). Inflammation, painful sites on neck, size of a hand). Later abscesses developed in about 20% of reacting animals.
253	24.03.2005 via JM	Suvaxyn Parvo/E			Schwein	500	250	0	About 50% of vaccinated animals had reduction in feed intake, local swelling and few returned to heat.
254	24.03.2005 via JM	Suvaxyn Parvo/E			Schwein	500	9	0	500 pregnant sows vaccinated for immunisation. 9 sows aborted starting shortly pt and up to 28.01.04, mainly between day 30-40 of pregnancy.
255	24.03.2005 via JM	Fevaxyn Pentofel			Katze	20	4	0	3 Kittens had pain when touched, unwillingness to feed and apathy immediatelly pv. 1 cat had colicky symptoms, a tense abdomen and pain after basic and booster immunisation
256	24.03.2005 via JM	Fevaxyn Pentofel			Katze	80	1	0	Cat was vaccinated on 19. Dec.03 and developed 20-30 mins p.v. ataxia, weakness for about 30 minutes

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
257	24.03.2005 via JM	Fevaxyn Pentofel			Katze	1	1	0	Cat was vaccinated on 07.Jan.04 and had 10 mins p.v. mydriasis, was restless, saliving, vomited several times, made sounds, started running around, and had lack of coordination for about 30 mi
258	24.03.2005 via JM	Fevaxyn i-CHP Chlam			Katze	2	1	0	Cat was vaccinated on 27 sept 04 and had apathy, anorexia, diarrhoea and vomiting; symptoms lasted up to 48 hours; the same occured when revaccinated on 19 Oct.04
259	24.03.2005 via JM	Fevaxyn i-CHP Chlam			Katze	1	1	0	Cat was vaccinated on 06 sept 04 and had fever (40,2 C), pussy eye discharge and inappentence from day of vaccination for 1 day
260	24.03.2005 via JM	Fevaxyn i-CHP Chlam			Katze	7	6	0	Vaccination of several cats was performed from Aug 04; 6/7 vaccinated cats did not take food, had fever, were partly vomiting, had local reactions at neck, staggering during movements and a circulatory lability 1-2 days p.v.
261	24.03.2005 via JM	Fevaxyn i-CHP Chlam			Katze	1	1	0	Cat was apathic and inappetent from 1 day pv until 4 days pv
262	24.03.2005 via JM	Fevaxyn i-CHP Chlam			Katze	1	1	0	Cat was apathic and had diarrhoea forl 4 days pv
263	24.03.2005 via JM	Fevaxyn i-CHP Chlam			Katze	2	2	0	2 cats were vaccinated on 14-Oct-04 and on 06-Nov-04. Cat Tobi was apathetic and inappetent from 1 day pv for 3 days. Cat C. vomited and had diarrhoea 2 hrs pv, later vomitus with blood, had strong skin reddening and strong itch and licking disorder

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
264	24.03.2005 via JM	Fevaxyn i-CHP Chlam			Katze	1	1	0	Cat was apathetic and inappetent 24 hours pv, had fever (39,9 C), redness of skin at site of injection and did not want to be touched
265	24.03.2005 via JM	Fevaxyn i-CHP Chlam			Katze	1	1	0	Cat was vaccinated twice on 04-Sep-04 and on 02-Oct-04. After each vaccination cat was apathic for one day, had fever 39,9 C and screamed when touched
266	24.03.2005 via JM	Duvaxyn IE-T Plus			Pferd	8	5	0	8 horses were vaccinated with Duv.IE-T Plus A and Duv. EHV1,4 (into right and left pectorals on 8 Oct 04. On 15 Oct 04 5 horses reacted with indurated swelling at i.s. and abscesses after 14 days in 3 animals. Previously only Resequin was used
267	24.03.2005 via JM	Duvaxyn IE-T Plus			Pferd	6	5	0	On 12 Nov 04 6 horses were vaccinated with Duv IE-T Plus and Duv EHV1,4 on same day. 5/6 horses had swellings at i.s., pain, increased temperature, lameness, motion disorder and apathy. 4 Horses developed abscesses that were opened surgically
268	24.03.2005 via JM	Duvaxyn IE-T Plus			Pferd	1	1	0	Horse was vaccinated on 17 Nov 04. and was from 1 day pv onwards apathic, did not take food, had difficulties to bow head and swelling and pain at injection site. Adverse reactions lasted more than 7 days until recovery.

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
269	24.03.2005 via JM	Duvaxyn IE-T Plus			Pferd	1	1	0	Horse was vaccinated on 17 Nov 04. and had 2 days later swelling and induration at i.s. (pectoral area) and increased temperature (39,1 C)
270	24.03.2005 via JM	Duvaxyn IE-T Plus			Pferd	1	1	0	Horse was vaccinated on 17 Nov 04. and had 1 day pv swelling and induration at pectoral area extended to fore legs as well as increased temperature (39,7-39,8 C) for up to 5 days despite antipyretic treatment
271	24.03.2005 via JM	Duvaxyn IE-T Plus			Pferd	9	7	0	9 horses were vaccinated on 12 Jul 04. 7 reacted pv with swelling at i.s., phlegmon, abscesses; in 5 animals surgical treatment of abscesses was required
272	24.03.2005 via JM	Duvaxyn IE-T Plus			Pferd	1	1	1	Mare had swelling (size of a fist) post vaccination on 21 Nov 04 with Duv. IE-T Plus, did not want to move, was lying down a lot; was euthanised on 01 Feb 05 following abscess formation and surgical treatment within 2 month after vaccination
273	24.03.2005 via JM	Duvaxyn IE-T Plus			Pferd	1	1	0	1 day pv horse had left sided alopecia, fever, fermatitis, oedema and pain when touched at right side for 22 days. Alopecia spread from chest to neck, ribcage and abdomen
274	24.03.2005 via JM	Duvaxyn IE-T Plus			Pferd	1	1	0	Horse was vaccinated on 06 Nov 04. and had 1day pv apathy and increased temperaturee (39,8 C). Complete recovery within 2 days

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
275	24.03.2005 via JM	Duvaxyn IE Plus			Pferd	7	7	0	7 horses were vaccinated with Duv IE-T Plus and Duv EHV1,4 on 10 Nov 04; on day pv 6 animals had swelling (up to size of fist) at i.s., 1 Horse had abscess that had had to be surgically treted
276	24.03.2005 via JM	Duvaxyn IE Plus			Pferd	1	1	0	Both Duvaxyn IE Plus and EHV 1,4 were injected i.m. into the long ischiatic bone muscles of the horse. 1 day pv the horse was staggering and had fever. Anti-inflammatory drugs were given
277	24.03.2005 via JM	Duvaxyn IE Plus			Pferd	1	1	0	Both Duvaxyn IE Plus and EHV 1,4 were injected i.m. into the long ischiatic bone muscles of the horse. 1 day pv the horse was unable to move. This lasted for 3 days.
278	24.03.2005 via JM	Duvaxyn IE Plus			Pferd	3	1	0	Horse was vaccinated on 9 Nov 04 with both Duv. IE Plus and Duv EHV1,4 and had fever (41 C), weakness and inappetence starting on day of vaccination which lasted for 3 days
279	24.03.2005 via JM	Duvaxyn IE Plus			Pferd	1	1	0	On 03 May 04 both Duvaxyn IE Plus and EHV 1,4 were administered i.m. to the horse. Immediately pv tiredness and lethargy occured. 1-2 days pv eruption at head and lamimitis were noted. Lamimitis was treated surgically.

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
280	24.03.2005 via JM	Duvaxyn IE Plus			Pferd	1	1	0	Horse was vaccinated on 3 Nov 04 with both Duvaxyn IE Plus and EHV 1,4 and had 1 day pv colicky like symptoms, was lying down often, had pain at injection site and circulatory lability. Duration of symptoms 7 days
281	24.03.2005 via JM	Duvaxyn IE Plus			Pferd	1	1	0	Horse was vaccinated on 10 Nov 04 with Duvaxyn IE Plus and EHV 1,4 (on same day at different sites); had from 1 day pv increased temperature (38,8 C), local injection site reaction at neck, was apathic/somnolent for more than 2 weeks
282	24.03.2005 via JM	Duvaxyn IE Plus			Pferd	1	1	0	Horse showed apathy, unwillingness to eat, had fever (40-41 C), with a fast and silent heart beat from 5 hrs for 4 days
283	24.03.2005 via JM	Duvaxyn IE Plus			Pferd	4	3	0	Horses were vaccinated on 1 Oct 04 with Duv IE Plus and Duv EHV1,4; on same day pv horses had fever (39-40 C) for 2-3 days; 1 had dry cough
284	24.03.2005 via JM	Duvaxyn EHV 1,4			Pferd	40	20	0	20/40 vaccinated horses had swelling about 1 day pv that lasted for 5 days
285	24.03.2005 via JM	Duvaxyn EHV 1,4			Pferd	3	3	1	Within a group of 4 horses 3 were vaccinated on 27.09.04 at 9:00 h am. The vaccinated horses developed apathy, anorexia, fever approx. 1 h pv. 1 stallion showed signs of colic at 13 hours pv that was refractory to treatment. The horse was euthanised

Lfd.-Nr.	Eingang	Präparate Name	Ch.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
286	24.03.2005 via JM	Duvaxyn EHV 1,4			Pferd	1	1	0	Swelling, myosis infectiosa, formation of abscess. Hospitalization, surgery done on abscess
287	24.03.2005 via JM	Duvaxyn EHV 1,4			Pferd	1	1	0	1 horse had apathy, anorexia, fever (39,1 C) 1 day pv with Duvaxyn EHV 1,4 which lasted for 1 day
288	13.04.2005 via JM	Riemser Trichophytie-Vakzine	1116109		Rind	5	5	1	Anaph Schock, z.T. Todesfälle
289	13.04.2005 via JM	Riemser Trichophytie-Vakzine	1116109		Rind	11	11	1	Anaph Schock, z.T. Todesfälle
290	13.04.2005 via JM	Riemser Trichophytie-Vakzine	1116109		Rind	15	8	3	Anaph Schock, z.T. Todesfälle
291	13.04.2005 via JM	RIKA-VACC			Kaninchen	48	18	17	nach der Impfung erkrankte mehrere Kaninchen. Diagnostik: Endbefund RHD
292	14.03.2005 via JM	ProteqFlu	L82591 u. L80118	ProteqFlu-Te	Pferd	40	20	0	Lokale Schwellung und Schmerzhaftigkeit, 3-4 Tage andauernd. 20% der betroffenen Tiere behandelt mit NSAIDs
293	14.03.2005 via JM	ProteqFlu	L76242		Pferd	1	1	0	Starke Schwellung