

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
1	17.01.2005	Nobivac SHPPi	0425-3042	Rabisin, Ch-Nr.:L94204	Hund	1	1	1	lung edemalung edema. The dog died 5 days after vaccination at emergency hospital. No clear diagnosis was made by either of the treating vets. No history available of dogs health before. Pet owner came back 4 weeks after death and claimed the illegal use of the 2 vaccines as cause.
2	19.01.2005	Eurican SHPPi2	L98978	Eurican LT	Hund	1	1	0	25.10.2004 geimpft.(Hundin reagierte früher allergisch auf Impf.:1x anaphylaxie und 1xl Gesichtsödem),8.11.04 starker Juckreiz auf Kruppe, diffuse Alopezie,ist aggressiv gegen Familienmitgliedern geworden, hat grundlos Passanten gebissen, ist unruiger,liegt viel und will nicht mehr spazieren gehen, frisst und trinkt weniger.Blutuntersuchung FT4,Oestradiol, großes Blutbild unauffällig.Therapie mit Frontline und Rimadyl (Schmerzmittel).3 Wochen wieder OK.Verdacht:Gehirnödem, allergisch bedingt, deswegen Aggressiv.
3	21.01.2005	Eurican SHPPi2	L102910	Eurican LT: L132005	Hund	2	2	0	1) Kleiner Münsterländer: Kopfschütteln + Ohrenschlagen, Erbrechen + Durchfall. 2)JRT: anaphylaktische Schock, Kopfödem
4	31.01.2005	Gletvax 6	A03902A		Schwein	5	1	1	Das Schwein wurde morgens geimpft und war abends tot. Die Dossierung betrug 5 ml

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
5	31.01.2005	Feliserin PRC	04 G07 2		Katze	1	1	1	Death approx. 1.5 hours post-application. 45 min. after inj. With Feliserin and Amoxicillin 15%, cat became apathetic, unable to stand up, with loud wheezing, mild cyanosis. Breathing stopped after long period of gasping, heart without usual findings during span of reaction until death. Treatment given for the reaction: Methylprednisolon 30 mg, Tropfeninfusion; Respirotropfen (without results). Necrosy results: death due to bleeding in the abdomen, which most probably from a traumatic injury.
6	04.04.2005	Trichovac LTF 130	076 02 04		Rind	5	3	3	of the live treated animals. Two 4-week-old calves showed no reaction. Three 10-week-old calves reacted with massive lung edema, emphysema, frothing at the mouth, followed by death. One calf was treated with cortizoid and electrolytes, stabilized at first, but died approximately 6 hours later. Upon notification IDT demanded that necropsies be performed on all three animals. The attendingt vet was in agreement. However, the corpses had already been disposed of.

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
7	07.02.2005	Virbagen canis SHA2P/LT	OTS 8		Hund	1	1	1	1. Impfung am 23.07.04, Vanguard 7/Pfizer L40621, L40620; 2. Impfung am 23.08.04, Virbac Canis OTS 8 SHA 2 P/LT; Am 03.09.04: starres Innenhalten und Zittern; Augentrübung und Pupillenerweiterung; Zucken der Leffen; Kaukrämpfe mit Schaumbildung; Urin- und Kotabsatz; nach Krampf - wildes, unkoordiniertes Umherrennen. Dauer eines Anfalles 2-4 min. Diagnose Epilepsie. Welpen ASRA wurde eingeschläfert, da die Behandlung mit Antibiotika keine Wirkung (Rasse Dt. Pinscher)
8	07.02.2005	Vanguard 7	L42119; L42118		Hund	4	3	0	Impfung am 30.12.04. 9.01.05 erkrankt: Zittern, Augentrübung, Pupillenerweiterung, Schielen und starkes Nicken mit dem Kopf. Der Welpen liegt starr, gespreizten Beinen und gespreizten Zehen am Boden. Keine Schaumbildung und kein Kot- und Urinabsatz. Alle drei erkrankten Welpen sind inzwischen wieder gesund. Uni Zürich Diagnose für einen Hund: starke Ataxie, Tremor, Verdacht auf eine infektiös bedingte Enzephalitis. (Rasse Dt. Pinscher)
9	08.02.2005	Circovac	L132203		Schwein	49	9	9	Aborte am 100 Trächtigkeitstag. Aborte nach der zweiten Injektion von Circovac.

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
10	21.02.2005	Stellamune One	L40430		Schwein	33	17	4	Anaphylactic shock after vaccination. 3 litters were vaccinated. All litters showed ADE's 40-80% of piglets of each litter reacted.
11	21.02.2005	Felocell CVR-T	L41517 CVRT		Katze	1	1	1	2 hours after injection of Felocell CVR-T cat died due to anaphylactic shock
12	28.02.2005	Leukocell 2	L43595		Katze	100	1	0	ca. 1/3 erbesengroße hochrote Umfangvermehrung am Hauptballen hinten rechts, rissige Ballen mit Hornablösung vorne links, die Ballen der restlichen Pfoten weisen grd. Veränderungen auf. ca. 100 Tiere in ca 6-8 Monaten mit diesem Impfstoff geimpft (unterschiedliche Chargen). Langsam abheilend unter Verabreichung von Kortison
13	01.03.2005	Insol Trichophyton	986A		Rind	4	1	1	Animal found dead about 4 hours following vaccination; white foam was present in mouth and nose

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
14	03.03.2005	Hippo Trichon	86 55 11		Pferd	1	1	0	Pferd wurde 14 Tage vorher mit Insol Dermatophyton ohne irgendeine Nebenwirkung geimpft. Nachimpfung mit Hippo Trichon ergab folgende Symptome: schmerzhaftes Schwellen an inj.stelle. Handteller groß, tief i.m.; Temperatur auf 38,2 C; Pferd komplett steif, kommt kaum aus Box; Anorexie; kann selbst Heu nicht vom Boden aufnehmen(Steifheit); Beine alle 4 angelaufen; Reaktion auf Schmerzmittel Metacam und Flunixin mäßig. Symptome nach 4 Tagen noch nicht abgeklungen.
15	04.03.2005	Nobivac SHP	003359D + 73140C		Hund	1	1	0	heftiger Juckreiz mit Schwellung der Augenlider (Collie)
16	04.03.2005	Nobivac LT	003336B + 73140C		Hund	1	1	0	heftiger Juckreiz mit Erbrechen (Dackel)
17	04.03.2005	Nobivac SHPPi	0425-3037 + 74140A	Nobivac LT	Hund	1	1	0	Schwellung im Kopfbereich, Kreislaufprobleme, anschließend Durchfall
18	08.03.2005	Eurican SHPPi2	L77265	Eurican LT	Hund	1	1	0	Gesichtstodem ca. 1 Stunde nach Impfung; verschwand nach Prednisolongabe innerhalb kürzerer Zeit
19	08.03.2005	Stellamune One	L41636		Schwein	10	10	1	Anaphylactic shock. One litter was vaccinated. All animals showed ADE's.
20	14.03.2005	Insol Dermatophyton			Pferd	2	1	0	Diarrhoea, 1 Tag nach Impfung, mehrfach harte Schwellung an der Injektionsstelle.

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
21	15.03.2005	Duvaxyn IE-T plus	RP02200		Pferd	1	1	1	Sequence of events: M. had swelling size of a first post vaccination on 21 Nov 04 with Duv.IE-T Plus, did not want to move, was lying down a lot; was euthanised on 01.Feb05 following abscess formation and surgical treatment within 2 month after vacc
22	23.03.2005	Stellamune One			Schwein	40	20	0	Anaphylactic shock
23	23.03.2005	Stellamune One			Schwein	130	10	0	Anaphylactic shock
24	24.03.2005	Vanguard 7	L40920; L40919		Hund	1	1	0	Höchstgradiges Gesichtssödem mit Schleimhautschwellung (allerg. Reaktion), mit Nesselsucht, keine Quaddeln
25	29.03.2005	Colombovac Paratyphus	SN01300		Taube	90	90	0	Sequence of events: 90/90 vaccinated pigeons treated on 30. Dec 04 developed marked weakness 6 hours post vacc., could not fly for 3 days; 5 pigeons had CNS disorder and were euthanised. The animals also had a dull plumage and decreased lay activity Central nervous system disorders

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
26	04.04.2005	Stellamune One	L41635		Schwein	24	24	3	Anaphylactic shock after vaccination. 3 litters was vaccinated. All animals showed reactions (death, tremor, lateral recumbency, vomitus, apathy). Ergänzung am 13.04.05: Zusammenhang Impfung: Tod der Tiere, ist fraglich, klinisch sollen die Tiere unauffällig gewesen sein. Bei der Sektion stellten sich aber erhebliche pathologisch-anatomische Veränderungen dar, die als mögliche Ursache für die Körperergüsse anzusehen sind...E.coli-Keime
27	08.04.2005	Duvaxyn EHV 1,4	ER10200		Pferd	1	1	0	Horse was vaccinated with Duv.EHV1,4 on 29 Sep04, on 2 Feb05 and delivered prematurely a dead foal on 21 Feb05. Autopsy section and histology of the dead foal revealed herpes virus infection as underlying cause
28	08.04.2005	Insol Dermatophyton	070		Pferd	6	1	0	Hufrehe???
29	11.04.2005	Rabdomun	A002D1A		Katze	1	1	0	ca. 4 Std post application zunehmende Juckreiz (im Vor... bereits nach 2 Std)
30	14.04.2005	Riemser Myxomatose-Vakzine	1560702		Kaninchen	8	2	0	Ausprägung der klinischer knotigen Form der Myxomatose, mittelgradig

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
31	20.04.2005	Equilis StrepE	74374A		Pferd	3	1	1	Together with to others, an Iceland horse got the basic vacc. with Equilis Strep in order to get strangles protection. The first vacc. could be given without any problem. 1 day after the second vacc. of Equilis StrepE, the horse showed strong cardiovascular disorder which was treated by the vet without any assumption of a connection with the vaccination. 3 hours after this treatment the horse was found dead by the owner.....waiting for further details. Follow up: akutes Herz-Kreislauf-Versagen unklarer Ursache
32	22.04.2005	Suvaxyn Flu	SK02300		Schwein	102	1	1	102 swine were vaccinated with Suvaxyn Flu on 23.03.2005. 1 sow (early phase of gestation), was found dead about 4,5 hrs pv.
33	27.04.2005	Stellamune One			Schwein	250	30	4	Anaphylactic shock after vaccination. Stellamune One has been used before for 2 years without problems.
34	29.04.2005	Eurifel RCPT	L78357 / L76257	Eurifel FeLV	Katze	1	1	0	Kastrierte Kater, letzte Impfung mit Eurifel RCPT und Eurifel FeLV am 22.03.2004. Fibrosarkom klinisch festgestellt am 06.03.2005, OP am 09.03.2005
35	29.04.2005	Eurifel RCPT	L96171 / L98845 / L102803	Eurifel FeLV	Katze	1	1	0	Kastrierte Kater, letzte Impfung mit Eurifel FeLV am 07.11.2003, mit Eurifel RCPT und Eurifel FeLV am 11.11.2004. Fibrosarkom klinisch und anatomisch-pathologisch festgestellt am 21.02.2005, OP am 24.02.2005

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
36	29.04.2005	Eurifel RCPT	L55102 / L55102 / L56197	Eurifel FeLV und FIP	Katze	1	1	0	Kastrierte Kater, letzte Impfung mit Eurifel RCPT und Eurifel FeLV, zusätzlich intranasal ein FIP-Impfstoff am 04.07.2003. Datum, wann Fibrosarkom festgestellt wurde ist nicht bekannt. OP im April und Dezember 2004
37	04.05.2005	Verruvac	1335611		Rind	20	2	1	5-6 hours after vaccination two animals showed salivation, restlessness, pink coloured conjunctivae, pink coloured and swollen vaginas, pulmonary oedema and emphysema, arrhythmic heart function. During anti anaphylactic treatment (corticoides, support of the circulation treatment) one animal fully recovered after 10 hours, the other died.
38	09.05.2005	Insol Trichophyton	989A		Rind	7	7	1	About 1 hours after vaccination 7 of the 7 vaccinated animals showed dyspnea, sweating and foam at the mouth and 1 of the 7 animals with these symptoms died within about 4 hours
39	18.05.2005	Vanguard 7	L42532; L42531	Enduracell T, L42777	Hund	1	1	0	Anaphylaxis. Anaphylactic shock after simultaneous vaccination. (the canine was vaccinated with Enduracell T right flank and Vanguard 7 left flank on 29.04.2005)
40	19.05.2005	Fevaxyn i-CHP Chlam	271BY3002		Katze	1	1	0	Katze war einen Tag nach der Impfung matt, hat viel geschlafen, wenig gegessen, lahmt hinten rechts leicht, Schmerzhaft bei Berührung der Injektionsstelle

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
41	20.05.2005	Felocell CVR-T	CVR:L43301; T: L42534		Katze	1	1	0	ca. 60 Minuten nach Impfung. Vomitting + Diarrhae, Verkroch sich, maunzte, Herz pochend + ...
42	25.05.2005	Enduracell 8	L50266/L50265		Frettchen	1	1	0	ca 45 minuten nach Schutzimpfung ist Frettchen auffallend schwach und dann ohne zu Husten umgefallen.....
43	02.06.2005	Suvaxyn Parvo/E	8707		Schwein	210	150	1	lokale Schwellung an der Injektionsstelle (ca. 2/3 der geimpfte Tiere) ca 1/3 zeigte Futterverweigerung und deutliche Temperaturerhöhungen Material: Endotoxin negativ untersucht
44	06.06.2005	Leucogen	10NF		Katze	1	1	0	Kirschgroßerknoten links, an Injektionsstelle
45	13.06.2005	Feliserin PRC	0030104		Katze	1	1	0	ist aus Tierheim gekommen, zwar gegen Katzenschnupfen geimpft, aber im April wegen Konjunktivitis gabe Feloserin +Ibaglin-gel ca. 5 Std, nach der Injektion Unruhe, Anstieg der Temperatur auf 40,1 , Juckreiz am ganzen Körper. Nesoner an den Ohren, starke Dyspnoea. Behandlung mit Novaminsulfon, Solu-Decortin- Domitor brachte die Symptome innerhalb eines 1/2 Tages zum Abklingen. Evt. Aufnahme in den Beipackzettel: bei wiederholte Gabe nach einigen Wochen Allergisierung möglich
46	14.06.2005	Feliserin PRC	0030104		Katze	3	2	1	Approximately two minutes after application the mother cat and the female kitten went into anaphylactic shock. The kitten died
47	14.06.2005	Enduracell T	2078P1		Hund	1	1	0	Anaphylaktischer Schock

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
48	14.06.2005	M+PAC			Schwein	150	6	6	A total of 150 animals were vaccinated once with 2 ml. Some minutes after vaccination 3 piglets showed circulatory disturbance. Improvements of symptoms after 1 hour. In the evening these 3 piglets were dead and also 3 others were dead. No necropsy was conducted
49	20.06.2005 via PSUR	Nobivac Bb			Katze	30	10	0	As indicated in the Summary of Product Characteristic Nobivac Bb may cause occasional sneezing, coughing or mild and transient discharge from the eyes or nose. Sneezing immediately after the intranasal vaccination may also occur (as a result of the liquid in the nose). Very little data available about this case.
50	21.06.2005	Stellamune One	L41635		Schwein	22	6	6	Anaphylaxis with Resp.
51	22.06.2005	Leucogen	10NF		Katze	2	1	0	Knoten links, an Injektionsstelle
52	08.07.2005	Suvaxyn Flu	SK02400		Schwein	197	10	0	Sequence of events: On 14.Juni 97 sows and on 20 Jun 05 100 sows withz Suvaxyn Flu by animal owner. 2-4 mins after vaccination sows had balance problems, dropped and turned to blue whilst breathing quickly and heaviliy. Several sows had stil-born piglets Treatment of reaction: Reacting sows were treated with 5 ml Voren Suspension, 5 ml IM. Principal signs: Anaphylaxis

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
53	08.07.2005	M+PAC	A098B1		Schwein	10	10	3	Farmer vaccinated 10 pigs for the first time with M+Pac.2-3 minutes post injectionem animals were in lateral position,showed signs of severe dyspnea and cyanotic ears.After 15 minutes mild regeneration.The next morning, three animals had died,7 animals were without any clinical signs. A necropsy will be conducted at the expense of Essex. Folow up: in both case serofibrinous pleurisy and pertonitis, acute catarrhal enteritis with haemorrhagic component, acute alveolar lung edema, Ecoli septicaemia.....
54	08.07.2005	Epivax SHPP+LT			Hund	1	1	1	4 days after vaccination the dog developed epilepsy. CT and liquor punctation was performed and nothing obvious could be found. The dog recovered after 3 days of luminal medication Testing of distemper virus was positive in liquor. The dog was euthanised on 24th of june
55	08.07.2005	Leucogen			Katze	1	1	1	Fibrosarkom: Haselnußkerngroßes Fibrosarkom in der Unterhaut unbekannter Lokalisation
56	08.07.2005	Enduracell 8	L42306/L42308		Hund	1	1	1	ca 10-15 min nach der erfolgten Impfung beobachtete das Tier fiel um und war für 20-25 min schlapp, nach Kollaps.....

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
57	08.07.2005	Cunivak Myxo	188 10 04		Kaninchen	1	1	1	Unspecific symptoms were observed one day after vaccination: decreased appetite, loss of balance, respiratory distress. The animal cadaver is no longer available for necropsy
58	08.07.2005	Felocell CVR	L42395	Felocell CVR-T L42396/42395	Katze	3	3	0	3 Tage nach Impfung: Apathie, deutliche Arthritissymptome a.d. Vordergliedmaßen; Fieber bis 41 C
59	13.07.2005	Ingelvac PRRS MLV	245-863		Schwein	240	20	0	On 16th, 10 minutes after vaccination of 120 piglets, about 10 animals started painful crying for about 15 minutes. Only animals vaccinated with batch 245-263 were involved, no animals vaccinated with batch 245-861. On Nov. 29th, same happened: some animals vaccinated with batch 245-863 started crying but none vaccinated with batch 245-861 or 245-865
60	13.07.2005	Ingelvac PRRS MLV			Schwein			0	Between Jan 2001 and March 2003 fattening pigs had low growth rate. In some animals vaccine virus of Ingelvac PRRS MLV was found. There is no information what time the virus was found, in how many animals it was found and which other infections were inves
61	13.07.2005	Ingelvac PRRS MLV	3		Schwein			0	Vaccine virus of Ingelvac PRRS MLV has been found in some weak piglets in a farm that had been PRRS negative and never used this vaccine

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
62	13.07.2005	Ingelvac M. hyo			Schwein	13	5	0	About 150 days after vaccination (at slaughter), area with micro abscess like reactions were found by the butcher in the fat tissue of the neck area, where vaccination most probably was applied. Histo-pathology revealed micro granulomas (1-5 mm in diameter) in fat tissue along muscle fascia (see included histology report). Further investigation of injection technique and needle length, vaccine was most probably injected into fat tissue instead of muscle tissue
63	13.07.2005	Insol Trichophyton	994		Rind	12	4	2	Schockreaktion
64	13.07.2005	Insol Trichophyton	994		Rind	4	4	0	Three to 4 hours following first vaccination, animals had dyspnoea, bradycardia and 2 of the 4 animals couldn't stand up.
65	21.07.2005	Suvaxyn Ery	8875		Schwein	1248	312	0	Sequence of events: 1248 gilts were vaccinated between Jan-May 05 with Suvaxyn Ery. About 25% of vaccinated animals had about 4 weeks post vaccination abscess formation up to size of a fist with pussy exudation upon surgical opening

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
66	21.07.2005	Suvaxyn Ery	8875		Schwein	192	48	0	Sequence of events: 192 gilts were vaccinated between Jan-May 05 with Suvaxyn Ery. About 25% of vaccinated animals had about 4 weeks post vaccination abscess formation up to size of a fist with pussy exudation upon surgical opening
67	21.07.2005	Suvaxyn Ery	8875		Schwein	120	30	0	Sequence of events: 120 gilts were vaccinated between Jan-May 05 with Suvaxyn Ery. About 25% of vaccinated animals had about 4 weeks post vaccination abscess formation up to size of a fist with pussy exudation upon surgical opening
68	22.07.2005 via PSUR	Virbagen Puppy 2b			Hund	3	3	0	Three dogs from the same litter, but vaccinated at different dates, showed an edema of the head (lips, eye lids, nose), one showing difficulties in the coordination of hindlegs/ataxia as well, about 45 minutes after injection. They received Baypamune about 2 weeks before vaccination
69	26.07.2005 via PSUR	Proteq Flu			Pferd	20	10	0	Among 20 Saddle horses vaccinated with ProteqFlu beginning of May, 10 Horses developed painful swelling at injection site and fatigue. They recoverde within 3-4 days after treatment

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
70	26.07.2005	Bovidec	BVC 158		Rind	30	1	1	The animal has shown inappetence at the first day after vaccination which was only realised by the transponder feeding. It hasn't shown an untypical habitus. Therefore it was driven in milking carousel were it broke down by cardiovascular symptoms. Heart therapy through the vet wasn't successful. The animal died within 1 hours. The side of the neck where the animal was vacc. Two days before was largely swollen and has shown crepitating subcutaneous oedema. No necropsy was done
71	29.07.2005 via PSUR	Proteq Flu-Te			Pferd	20	10	0	Among 20 Saddle horses vaccinated with ProteqFlu beginning of May, 10 Horses developed painful swelling at injection site and fatigue. They recoverde within 3-4 days after treatment.....
72	02.08.2005 via PSUR	Insol Dermatophyton			Pferd	1	1	0	Two days after the vaccination various areas of the skin at the right hind leg, at the head, the neck and the body showed exudative swellings.....A skin biopsy for pathohistological examination was performed on 18.04.2005 with following diagnosis: exudative dermatitis of the upper layers of the skin caused by an allergic reaction. A bacteriological and mycological examination of the skin was negative.

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
73	09.08.2005	Nobivac SHP+LT	004320C + 74140A		Hund	1	1	1	4 days after vaccination the dog was presented with swelling at head and neck, joints were swollen and he could hardly stand
74	10.08.2005	Vanguard 7	L50913 + L50914		Hund	1	1	0	3 Minuten nach Injektion des Impfstoffes fiel der Hund um und setzte Urin ab. Schleimhaut waren porzellanweiß, der Puls dünn und oberflächlich, Hypoventilation, Apathie. Nach Infusion von Ring....Besserung der Kreislaufsituation. Am nächsten Tag (29.7.05) Vomitus und Diarrhoe,
75	11.08.2005	Pastobov	z02308119		Rind	22	22	2	Alle Tiere hohes Fieber zwischen 40,2 und 41,6 C, hochgradige Atemnot, Husten, sehr stark beeinträchtigt Allgemeinzustand, seröser Nasenausfluß, 7 Tiere in besonders schlechtem Zustand mit Festliegen. Therapie: Nufloor, bei den 7 am stärksten betroffenen Tieren zusätzlich Finadyne, die anderen erhielten stattdessen Metacam.
76	13.07.2005	Insol Trichophyton	994		Rind	10	3	1	About 2 hours after vaccination 3 animals showed anaphylaxis like symptoms (cardiovascular and respiratory symptoms) and fever. One of these animals died

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
77	19.08.2005	Rotlauf-Lebendimpfstoff	042 12 04		Schwein	8	8	1	Seven sows and one boar were vaccinated with Rotlauf-Lebendimpfstoff. All eight became sick and the boar died. The exact age and weight of the animals, their state of health and previous vaccination record were not included in the initial report. Details concerning the nature of the reaction (if it was swine erysipelas through vaccination, or not) and any subsequent treatment of the animals or investigation on the part of the owner or veterinarian are also unknown at this time. Follow up on 19.09.05: No further information.
78	19.08.2005	Trichovac LTF 130	078 03 04		Rind	24	24	3	The treated animals showed clinical signs of anaphylaxis: dyspnea and diarrhea approximately one half hour after vaccination. Dexamethason was applied i.m. to treat the reaction. The three dead animals had bloody froth around the mouth. MAH suggested necropsy, but this is no longer possible.
79	22.08.2005	Insol Dermatophyton	001		Pferd	1	1	0	3 tagen p.i. Schwellung und Abszedierung der Injektionsstelle. Abszeß ca. hühnereigroß, selbst aufgegangen Rückbilde bis Erbsengröße, heute noch tastbar
80	25.08.2005	Stellamune One	Unknow		Schwein	12	3	3	Anaphylaxis with Resp., Anaphylactic shock after vaccination

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
81	26.08.2005	Eurifel RCP		Eurifel FeLV	Katze	1	1	0	Approximately 30 minutes after pilling the cat and approx 3 minutes after first vaccination cat collapsed. Cat showed opistotonus, cramps, lateral recumbancy, pale membranes, tachycardia and coma. X-ray revealed generalised severe lung oedema, heart shape normal. Approximately 10-15 minutes after reaction started cat vomited food with the Milbemax pill. Cat fell into coma. After treatment (about 2 hours) cat markedly improved and was sent home 6 hours after first symptoms occurred. Next day cat was normal, lung only slight murmur. VEDDRA: Collapse, coma, ataxia, pulmonary oedema, tachypnoea, convulsions, pale mucous membrane, tachycardia, emesis
82	30.08.2005	Virbagen canis SHA2P/LT	OTS 8		Hund	1	1	0	wegen Ohrenmilben und Wurmbefall (1+2) am 01.10.2004, Bronchitis nach Impfung (3+4) am 11.10.2004; Virbagen am 05.10.2004

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
83	30.08.2005	Biofakt orinjekt	216023		Rind	2	2	2	ca 45 min nach Applikation 25ml (subkutan) an neugeborene Kälber beobachtet der Besitzer, Landwirt: Seitenlage, Opisthotonus, Tachypnoea, Unvermögen aufzustehen. Dann TA gerufen schließlich trotz baldiger Notfallbehandlung (u.a. Dexamethason i.v. hochdosiert) verendet. Eine mikrobiologische Untersuchung an der verwendeten Anbruchflasche und an einem Rückstellmuster ergab: beide steril; Keine Vorkommnisse. Laborbefund Aulendorf am 08.09.05 : Keine Unsterilität
84	05.09.2005	Vanguard 7	L50795+ L50796	Enduracell T (L50234)	Hund	1	1	0	Getrennte Spritzen. 1,5 Stunden Minuten nach Impfung starkes Speicheln, einmaliges Erbrechen und mehrfach Durchfall (zuletzt wässrig) gezeigt. Nächste Tag ist soweit wieder alles Ok.
85	09.09.2005	Eurican LT	L144303	Milbemax + Eurican SHPPi2 (L144315)	Hund	1	1	0	mehrfachen Erbrechen, unstillbarer Durchfall, Anorexie, Sonnolenz
86	09.09.2005	Insol Dermatophyton	037		Hund	8	8	0	All animals reacted with symptoms of urticaria about 1 day following first vaccination. Two dogs were highly affected with about 20 urticaria areas about 1 cm in diameter and some of them with aqueous secretion. One of these two animals additionally had edema at chest and lateral abdomen.

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
87	09.09.2005	Insol Dermatophyton	001		Pferd	1	1	0	Local reaction at the injection site with swelling and abscess about 3 days following second vaccination. About 9 month following 2nd vaccination, thickening still about pea size.
88	09.09.2005	Insol Dermatophyton	001		Pferd	1	1	0	Two days foollowing first vaccination, acute mucous nasal secretion was observed. No data available if ans how long this symptom persisted. Two days following second vaccination, local reactions at the injection site were observed and persisted until the end of July. Dermatophytosis re-occurred within 3 month but no data available what time exactly and how diagnosed.
89	21.09.2005	Suvaxyn M.hyo	1522275A		Schwein	180	1	1	Scquence of events: 1 of 180 vaccinated piglets showed trampling, lying side, moving limbs, foam from nose, crying, rolling eyes and died after 2 minutes, Principal sign, Anaphylaxis

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
90	21.09.2005	Cunivak Past	0160804		Kaninchen	1	1	1	Animal was vaccinated without signs of difficulty. Three hours later the owner notified the vet that the rabbit was dead. The vet described the animal as lying on its side, with beginning rigor mortis, cyanotic mucous membranes, yellow-brown urine. MAH suggested performing anecropsy at the time of the report. It is not known if this was done, but if MAH receives any results, they will be forwarded to the authorities. Follow up: the pathologist undertook the necropsy, reported via telephone that the animal's small intestine was very dilated, 3+++ E.coli was present, and that the probable cause of death was peracute colienterotoxemia. He also confirmed that he saw no connection between the vaccination and death.
91	20.09.2005	Circovac	L148954		Schwein	15	1	0	15 Sauen wurden geimpft, von denen in der folgenden Nacht ein Tier verferkelte. Die Sau zeigte sonst keine besonderen Symptome. Die Sau war 2 Jahre alt und 210kg. Es handelte sich um eine Wiederholungsimpfung. Bisher waren im Zusammenhang mit der Impfung von Circovac in diesem Bestand keine Probleme aufgetreten.
92	30.09.2005	PregSure BVD			Rind	15	1	1	30 minutes after booster cow died assumption of .vet.: anaphylaxis

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
93	04.10.2005	Vanguard 7	L34176	Enduracell 8 L 42307	Hund	2	2	1	Der besseren Verträglichkeit halber wurde die Impfung in 2 Etappen gegeben. Tollwutschutz getrennt vom übrigen Impfschutz. Vanguard 7 am 13.10.04 und Enduracell 8 am 02.11.04
94	06.10.2005	Rispoval RS			Rind	1	1	1	after vaccination animal died, emphysem and oedema were seen in autopsy,
95	06.10.2005	Scourgard 3			Rind	1	1	1	cow died after second injection
96	06.10.2005	Rispoval RS			Rind	6	3	3	one farm 4 animals were vaccinated, two died other farm two vaccinated one died
97	07.10.2005	Nobivac SHP+LT	04320C 74140A		Hund	1	1	0	Anaphylaktische Reaktion nach ca. 1 Stunde, Kopf stark angeschwollen
98	13.10.2005	PregSure BVD	L 43198		Rind	60	1	1	Died
99	13.10.2005	Enduracell 8	L52275/L522 80	Enduracell LT	Hund	1	1	0	ca. 35 nach Applikation Erbrechen. Zuhause war Hund ca 1h nach Applikation dann matt. Bei mehrfacher Fiebermessung T 38.5, 38.8. Nach 2h spontane Besserung ohne Therapie.
100	14.10.2005	Felocell CVR-T	L51728	Enduracell T, L50896	Katze	1	1	0	30 min nach Impfung: Schwanken, Umfallen, Hecheln, Tachycardie, Apathie, Salivation, Kotabsatz unkontrolliert. Anaphylaxie

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
101	20.10.2005	Eurican Merilym	L 139533		Hund	1	1	0	Impfung um 14:30: Auffälliges Verhalten ca. 16 Uhr wollte nicht aufstehen, nicht laufen, weiter geschlafen, danach Gleichgewichtsstörungen, Koordinationsprobleme, verstörter Ausdruck, eingeklemmter Schwanz, zitterte, nichts gefressen oder getrunken, Fieber 38,8 C, am nächsten Tag 39,3 C Fieber. Nach 2 Tagen wieder ok, keine Probleme
102	27.10.2005	Nobivac LT	73140C	Nobivac SHPPi CHnr. 04254012	Hund	300	1	0	Juckreiz, heiße Haut, Fell ausgerissen - Besserung auf Calcium
103	02.11.2005	Fevaxyn i-CHP Chlam	271BY4001		Katze	12	12	1	12 cats (m+f) were vacc. On 8/15 Aug05; most cats had 1-2 days pv conjunctivitis, rhinitis and partly a bad general state of health. All vacc. Animals were sick (!!!and other non vaccinated ones, too, see Text !!!). Case description. 1 kitten euthanised.
104	02.11.2005	Fevaxyn Pentofel	130BY5008		Katze	1	1	0	1 hour pv increasing licking of paws, then total body, increased respiration and heart beat after 1,5 hours, fever over 40 C, facial oedema, very sensitive to touch, brought to vet clinic and recovered after symptomatic treatment. Anaphylaxis
105	02.11.2005	Febrivac 3-Plus	0191204		Nerz	40000	40	40	Animal death with suspicion of Pseudomonas infection

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
106	02.11.2005	Fevaxyn i-CHP Chlam	271BY5001		Katze	2	2	2	2 cats from 1 litter were vacc. On 10 Oct 05. 1 vomited 0,5 h pv, was apathic, was brought to clinic with shock syndrome and was euthanised 6 days pv. The other cat vomited 0,5 h pv blood stained and died from shock 9 h pv.
107	09.10.2005	Scourgard 3	L51213/L51214		Rind	5	5	0	after vaccination 5 abortions/ or calf died as it was born to early no number of total vaccination cases turned up "the last yera" - vet informed us now
108	14.11.2005	Purevax RCP	L152440		Katze	2	1	1	28.10.05 geimpft mit Purevax RCP, frühere Impfungen waren am 23.11.2004 und am 17.12.2004 mit Felocell CVR (Pfizer) durchgeführt worden. Der Kater wurde eine 3/4 Stunde nach Impfung schreiend, hechelnd mit erschwerter Atmung und unfähig zu stehen in der Klinik eingeliefert. Die Schleimhäute waren etwas blasser als normal. Schocktherapie mit Urbason, Infusion und Sauerstoff behandelt. Nach einer weiteren 3/4 Stunde fiel der Kater jedoch ins Koma und starb etwa 4 Stunden p.vacc.
109	18.11.2005	Enduracell 8	L52275/80		Hund	1	1	0	breiiger Durchfall, matt, Temp. 38,5, frißt weniger, TA berichtet per tel. der Hund hatte ein akutes Nierenversagen, welches auf akute Leptospirose zurückzuführen war.

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
110	30.11.2005	Virbagen felis RCP	15Yu		Katze	5	5	0	2.-4. Tag post vacc. Vomitus, Inopetenz, Diarrhoe - in Folge Exsikose, Apathie; Follow UP 27.01.06
111	30.11.2005	Vanguard 7	L50795		Hund	5	5	1	Vaccination of five dogs. Four of them showed apathic reaction during the first day only. The fifth dog reacted with a worsening condition and agressiveness. It became euthanized on 9th October 2005
112	05.12.2005	Stellamune One	L43475		Schwein	84	37	20	The vaccine has been used before for 3 years without problems. Routine vaccinations of sows: Againsts E. a. with Porcilis AR-T (Intervet) , erd vaccinations every 6 month; against Parvovirus and Erysipelas with Parvoruvac (Merial) , sows before breeding. Routine treatments of piglets: Myofer 100 on 3rd day of life. All 8 vaccinated litters showed ADE´s. Pathological findings: Cardiovascular disorder / anaphylactic shock.
113	05.12.2005	Rispoval RS	L50968, L50768B		Rind	24	1	1	1 calf died several hours after vaccination, Due to weekend no section was possible
114	06.12.2005	Duvaxyn EHV 1,4	ER11000		Pferd	1	1	0	9 days pv horse had acute herpesvirus infection with hind limb paralysis and was euthanised

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
115	06.12.2005	Fiovax PHC			Katze	2	2	2	Tired after vaccination, anorexia on the second and third day: diarrhea? The two kittens were examined by the veterinarian: exsiccosis, fever, no further diagnostic. The 2 kittens were treated. infusion, Amoxicillin, On the 3. day further treatment. No further contact to the cat owner during 5 days. The 2 kittens died on October 21/22. No pathological examination of the kittens
116	06.12.2005	Fiovax PHCT			Katze	3	3	0	All 3 cats were vaccinated. On the day of the vaccination anorexia, diarrhea and apathy. The 3 cats were treated (infusion, Vomisal, Entergram Pulver . Complete recovery of these 3 adult cat
117	12.12.2005	Duvaxyn IE-T plus	R P-0230		Pferd	2	1	0	Eitrig nehsotisierende leyoisitis am Injektionsort, zunächst Ödematose, letztlich Schwellung
118	13.12.2005	Cavallon IR	L147556		Pferd	5	1	1	Ca. 4 min. nach der Injektion bekam das Pferd Exzitationen und stürzte nach ca. einer weiteren Minute zu Boden. Zunächst war ein Cornealreflex erhalten. Innerhalb von 2 Minuten trat der Exitus ein.

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
119	15.12.2005	Rispoval IBR-Marker vivum	TK0025S		Rind	9	2	2	Nine pregnant cows were vaccinated on the 18th November 2005. They all were in good condition. On the 19th in the evening and on the 20th in the morning two calves were stillborn. Scheduled date of birth was the 30th November. The udders of the cows became bigger just before birth. The two animals showed no signs of healthy disorder. In the meantime some of the other cows gave birth to their calves and they were vital and without pathological findings.
120	22.12.2005	Baypamune	25114AZ		Katze	1	1	1	Sudden death half an hour after application
121	23.12.2005	Suvaxyn M.Hyo	1522315A		Schwein	275	2	1	2/275 vacciated a 2nd time on 02.Dec.05 5 mins pv 2 piglets were lying aside, breathed by mouth, were severely cyanotic at cars, mouth and abdomen, After treatment with cold water and Crataegus 1 animal recovered, the other died., Anaphylaxis

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
122	23.12.2005	Duvaxyn IE Plus	RK-01100	Duvaxyn EHV1,4	Pferd	1	1	1	Horse was vaccinated on 13 Dec 05 with both Duvaxyn IE Plus and Duvaxyn EHV1,4 one day pv horse was apathic and anorectic which lasted until 15 Dec. 05. Horse died on 16 Dec. 05 without signs. Post-mortem exam, showed acute myocarditis. Treatment of reaction: Unknown. Smallest Tx reaction intervall is < or = to 1 Days. Principal signs: Death without signs. Laboratory results: Post-mortem examination demonstrated death caused by acute myocarditis. Report is awaited.
123	29.12.2005	Suvaxyn Parvo/E	8707		Schwein	200	70	4	Sequence of events: About 70/200 vaccinated sows had increased temperature pv and partly aborted some (about 4) died. The animals had reddening/inflammation at injection site either in areal or striped form; about 5-6 sows had abortions. Treatment of reaction: unknown Smallest Tx-reaction intervall is < or = 1 day. Principal sign: Hyperthermia
124	12.01.2006 via JM	Bayovac IBR-Marker inactivatum	TK001P1/KP 02EPZ		Rind	100	100	0	According to the attached test report milk monitoring association, the inhibitor test (February 9, 2005) performed on the milk the following day yielded a positive result up to the fourth dilution. The follow-up test on February 11, 2005, was negative.

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
125	27.01.2006 via PSUR	Virbagen Puppy 2b			Hund	1	1	1	Vomiting, bloody diarrhea and bilirubinaemia, 1 week after the injection. Death by euthanasia. Giardia in the feces
126	27.01.2006 via PSUR	M+PAC			Schwein	200	200	0	Lethargy, Vomiting
127	27.01.2006 via PSUR	M+PAC			Schwein	60	2	1	Apnoea; Seizures
128	27.01.2006 via PSUR	M+PAC			Schwein	750	750	0	Diarrhoe; Hyperventilation; Hyperthermia; Lethargy, Vomiting
129	30.01.2006 via JM	Equip T			Pferd	1	1	0	Ataxia, Fever, Swelling
130	30.01.2006 via JM	Epivax SHPP+LT			Hund	1	1	0	3 days after vaccination the dog developed diarrhea and vomitus. After therapy with enrofloxacin and metarrizol the dog recovered in 24 hours.
131	30.01.2006 via JM	Epivax SHPP+LT			Hund	1	1	0	5 minutes after vaccination the dog developed anaphylactoid reaction. After the 40 minutes the dog get better but was rest of the day lethargic

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
132	30.01.2006 via JM	Epivax SHPP+LT			Hund	6	6	2	4 weeks ago the 5 dogs (12 weeks old, second vaccination, first vaccination unknow) were vaccinated with Epivax SHPP+LT. The dogs showed at this time diarrhea. The dogs showed diarrhea and vomitus for 3-4 days. 2 dogs died. No necropsy was conducted. On April 8, 2005 the veterinarian vaccinated one dog (Magyar Vislar, 12 weeks old). 3 days later the dog showed diarrhea, fever (40 C), apathy. The dog is treated with antibiotics.
133	30.01.2006 via JM	Fiovax PHCT	9139A1		Katze	1	1	0	30 min after vaccination the cat showed the following symptoms: vomitus, abdominal pain, anxiety, polypnoe. 1,5 hours later the cat was treated by the veterinarian: temperature 39,7 C . The following treatment was given: Vomisal, prednisolone. Some hours later the cat showed bloody vomitus and diarrhea, salivation
134	30.01.2006 via JM	Fiovax PHCT	9139A1		Katze	1	1	0	3 hour after vaccination generalized pruritus. The cat was treated with 0.05 ml Hexadreson (1ml contains 2.62 mg Dexamethason) s.c. After 30 min. the symptoms disappeared.
135	30.01.2006 via JM	Rabdomun			Pferd	3	3	0	Within 24 hours after the vaccination all horses developed swelling at the injection site (double list size). After 2-3 days no pain anymore

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
136	30.01.2006 via JM	Rabdomun			Pferd	1	1	0	2 days after vaccination with Rabdomun and Resequin (Influenza, Tetanus, Herpes) the horse was nervous, anxious and dumpy.
137	30.01.2006 via JM	Rotavec Corona			Rind	3	3	0	3 pregnant cows vaccinated with Rotavec corona. Local Swellings at the injection site (15-20 cm diameter) by all cases. 2 cows showed the partus 2-3 days after vaccination. In normal case the partus of both cows 3-4 weeks later. The born calves were healthy.
138	30.01.2006 via JM	Rotavec Corona			Rind	40	20	0	The farmer vaccinated 40 cows with Rorovac Corona between end of July and begin of August 2005. 20 of them reacted with swelling at application site.
139	30.01.2006 via JM	Rotavec Corona			Rind	300	30	3	300 cattle were vaccinated with Rotavec Corona. (20-30) 2 days old calves showed diarrhea. 3 3 days old calves died
140	07.02.2006 via JM	Riemser Trichophytie-Vakzine	1305511/02		Rind	20	1	1	Anaphylaktische Reaktion
141	07.02.2006 via JM	Riemser Trichophytie-Vakzine	1345611101		Rind	58	2	2	Anaphylaktische Reaktion
142	07.02.2006 via JM	Riemser Trichophytie-Vakzine	1305511-02		Rind	600	200	0	Schwellungen, große Abszesse, aufplatzen dieser (eitrig)
143	07.02.2006 via JM	Hippo Trichon	89 55 11		Pferd	5	5	0	nach 2. Applikation + 1-2 d Fieber, Apathie, lokale Schwellung, Lahmheit

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
144	07.02.2006 via JM	RIKA-VACC	60504		Kaninchen	7	7	7	Gesamt Bestand ca 30 Tiere, nur die Gruppe, die am 3.5.05 geimpft wurde ist von 6-7 M verstorben. Die anderen im Bestand haben die Impfung überstanden.
145	20.02.2006 via JM	Insol Trichophyton			Rind	14	8	0	About 1 week following 2nd vaccination of 14 clinically healthy animals, symptoms of Trichophytosis were observed in 8 animals. About 30 minutes following the third vaccination of these 8 animals, 2 of them showed shock symptoms, which were treated symptomatically. No animal died. Symptoms of Trichophytosis resolved within some weeks. Veterinary was suspicious not only 3rd vaccination induced shock in 2 animals but also that the first 2 vaccinations were not efficacious
146	20.02.2006 via JM	Insol Dermatophyton	037		Pferd	1	1	0	2 Tage nach Injektion hochgradiges ulcerative Dermatitis am gesamten Körper mit hochgradiges Juckreiz.
147	20.02.2006 via JM	Insol Dermatophyton	037		Hund	1	1	0	2 Tage nach Injektion ca. 3x2x1 cm starke Schwellung mit Fistelbildung an 1 Injektionsstelle; ursächlicher Zusammenhang erst nach 2. Injektion scheinbar;

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
148	20.02.2006 via JM	Insol Dermatophyton			Pferd	1	1	0	Day 1 after the second intramuscular vaccination into the left hind leg: horse showed mild lameness; Day 2: moderate lameness and marked swelling around the injektion site and the whole distal leg. Treatment with phenylbutazone, horse recovered within appr. 3 weeks.
149	20.02.2006 via JM	Insol Dermatophyton	070		Pferd	1	1	0	The stallion was preventively vaccinated prior to the training for breeding approval. One day after the second vacc. The horse showed signs of laminitis. No specific cause for laminitis could be identified. The horse was treated initially with Metacam, Heparin injectable and orthopedic hoof casts. Horse was then referred to a clinic and recovered after 6 weeks.
150	07.03.2006 via JM	Virbagen canis SHA2P/L			Hund	1	1	0	Salivation elevated and apathy, 2 hours after vaccination
151	07.03.2006 via JM	Virbagen canis SHA2P/L			Hund	1	1	0	Appetite diminished, staggering of the hind legs, pancreatitis, hepatitis and depression (tired, flabby)
152	07.03.2006 via JM	Virbagen canis SHA2P/L			Hund	1	1	1	Recumbency, administration site swelling, anaemia, tachycardia, hypothermia, leukocytosis. Death by euthanasia
153	07.03.2006 via JM	Virbagen canis SHA2P/LT			Hund	1	1	0	Facial oedema and pruritus
154	07.03.2006 via JM	Virbagen canis SHA2P/LT			Hund	1	1	0	Ataxia, apathy and circulatory shock

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
155	07.03.2006 via JM	Virbagen canis SHA2P/LT			Hund	1	1	0	Epilepsy seizures, 2 days after injection
156	07.03.2006 via JM	Virbagen canis SHA2P/LT			Hund	1	1	0	Epilepsy seizures, 1 days after injection
157	07.03.2006 via JM	Virbagen canis SHA2P/LT			Hund	1	1	1	Paresis, difficulties at walk and standing up. Death by euthanasia. The dog already presented exostosis at the vertebral column
158	07.03.2006 via JM	Virbagen canis SHA2P/LT			Hund	1	1	0	Apathy and pain 1 day after injection. Lameness and circulatory weakness, 1 week after injection
159	07.03.2006 via JM	Virbagen canis SHA2PPi/LT			Hund	1	1	0	Administration site lump (nodule at limb), 1 day after injection
160	07.03.2006 via JM	Virbagen canis SHA2PPi/LT			Hund	2	2	0	Depression and hyperthermia. Administration site swelling and abscess
161	07.03.2006 via JM	Virbagen canis SHA2PPi/LT			Hund	1	1	0	Breathing difficulties, cyanosis, respiratory sounds and collapse, 1 hour after injection
162	07.03.2006 via JM	Virbagen canis SHA2PPi/LT			Hund	1	1	0	Anxiety, ataxia, cramps and disorientation
163	07.03.2006 via JM	Virbagen canis SHA2PPi/LT			Hund	1	1	0	Vision disorders, mydriasis, tachycardia and incontinence, 1 day after injection
164	07.03.2006 via JM	Virbagen canis SHA2PPi/LT			Hund	1	1	0	Head swelling and vomiting, 1 hour after injection
165	07.03.2006 via JM	Virbagen canis SHA2PPi/LT			Hund	1	1	0	Sleepiness short after injection. Head swelling, some hours after injection
166	07.03.2006 via JM	Virbagen canis SHA2PPi/LT			Hund	1	1	0	Epilepsy seizures, 4 days after injection
167	07.03.2006 via JM	Virbagen canis SHA2PPi/LT			Hund	1	1	1	Apathy, hypothermia, appetite low, vomiting and renal failure. Death by euthanasia

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
168	07.03.2006 via JM	Virbagen felis RCP			Katze	1	1	0	Administration site swelling and pain
169	07.03.2006 via JM	Virbagen felis RCP			Katze	1	1	0	Administration site swelling and pain
170	07.03.2006 via JM	Virbagen felis RCP			Katze	1	1	0	Hyperthermia and administration site pain
171	07.03.2006 via JM	Virbagen felis RCP			Katze	1	1	1	Lack of info. Found dead
172	07.03.2006 via JM	Virbagen felis RCP			Katze	6	6	1	Loss of appetite, hyperthermia, diarrhea, 1-2 days after injection. Death
173	07.03.2006 via JM	Virbagen felis RCP			Katze	1	1	0	Breathing difficulties and swelling of the trachea.
174	07.03.2006 via JM	Virbagen felis RCP			Katze	7	7	0	Lameness (painful)
175	07.03.2006 via JM	Virbagen felis RCP			Katze	1	1	0	Limping, some hours after vaccination When the kitten was found showed already coryza, but at vaccination date, no symptoms.
176	07.03.2006 via JM	Leucogen			Katze	3	3	0	Administration site swelling
177	07.03.2006 via JM	Leucogen		Virbagen Felis RCP/T	Katze	1	1	1	Fever, apathy and death by euthanasia 2 days after injection
178	07.03.2006 via JM	Leucogen		Virbagen Felis RCP/T	Katze	1	1	0	Pruritus, vomiting, diarrhea and foaming at mouth, few hours after injection
179	07.03.2006 via JM	Leucogen		Virbagen Felis RCP/T	Katze	1	1	1	Vomiting, haemorrhagic diarrhea, cardiac hypertrophy, enteritis. Death. Post-mortem: Cardiac hypertrophy, haemorrhagic enteritis caused by Clostridium perfringens. Probable peracute toxemia as death cause.

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
180	07.03.2006 via JM	Virbagen Parvo		Virbagen canis LT	Hund	1	1	1	Apathy, weakness, anaemia and death
181	07.03.2006 via JM	Virbagen Parvo		Virbagen canis LT	Hund	1	1	1	Epilepsy seizures, about 2 hours after injection. Death about 1 day after injection
182	07.03.2006 via JM	Virbagen felis RCP/T			Katze	1	1	1	Hyperthermia, administration site swelling and apathy, 2-3 hours after injection. Death by euthanasia, 1 week after injection. Post-mortem: inflammation caused by Streptococcus
183	07.03.2006 via JM	Virbagen felis RCP/T			Katze	4	4	0	Vomiting, loss of appetite and diarrhea, 2-3 days after the injection
184	07.03.2006 via JM	Virbagen felis RCP/T			Katze	2	2	0	Vomiting, eyelid oedema, head swelling, lethargy and anorexia, 2 hours after the second injection
185	07.03.2006 via JM	Virbagen felis RCP/T			Katze	1	1	1	Gaspings and death, 15-20 minutes after injection
186	07.03.2006 via JM	Virbagen felis RCP/T			Katze	1	1	1	Death without any symptoms
187	07.03.2006 via JM	Virbagen felis RCP/T			Katze	1	1	0	Hypersalivation, vomiting, pruritus, head swelling, hyperthermia, red and warm skin, 3 hours after injection
188	07.03.2006 via JM	Virbagen felis RCP/T			Katze	1	1	0	Restlessness, swollen eyes and generalized itching
189	07.03.2006 via JM	Virbagen felis RCP/T			Katze	1	1	1	Appetite diminished, abnormal movements, ataxia. Death by euthanasia. Post-mortem: Encephalitis and tubulonephrosis
190	07.03.2006 via JM	Virbagen felis RCP/T			Katze	1	1	1	Salivation elevated, ataxia, incontinence, apathy, tachycardia, epilepsy seizures. Death by euthanasia

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
191	07.03.2006 via JM	Virbagen canis SHA2PPi/LT			Hund	1	1	1	Loss of appetite, nasal and ocular discharge, abnormal movement (circling) and behaviour modifications, 3 days after injection. Cramps, muscle twitching and head shaking, 10 days after injection
192	07.03.2006 via JM	Virbagen canis SHA2P			Hund	1	1	0	Distember suspicion. Vomiting, diarrhea and epilepsy seizures
193	10.03.2006 via JM	Verruvac			Rind	2	2	2	The animals were found dead in the evening of the day of vaccination
194	10.03.2006 via JM	Verruvac			Rind	10	1	1	Anaphylactic reaction: Strong cardiac-circulation problems resulted in a pulmonary emphysema
195	10.03.2006 via JM	Bovidec			Rind	299	6	0	Swelling of the eyes and vulva, urticaria
196	10.03.2006 via JM	Bovidec			Rind	97	5	0	Oedema of the eyelids and vulva, nettles
197	10.03.2006 via JM	Bovidec			Rind	50	5	0	Oedema of the eyelids, vulva and udder. One heifer recovered meanwhile hours, but has aborted 36 hours later in the 6th month of gestation
198	22.03.2006 via JM	Felocell CVR	L50890	Felocell CVR-T L50891	Katze	1	1	0	Apathic after 15 minutes of application. Treated with NaCL and 4 mg Dexamethason, recovered.
199	22.03.2006 via JM	Rispoval 3 BRSV-PI3- BVD	L52980A		Rind	28	1	0	2 hours post application: dyspnoe, salivation
200	22.03.2006 via JM	PregSure BVD	L 50264		Rind	135	3	0	3 animals reacted after vaccination, off food, diarrhea. Cows aborted 2 days after vaccination, reduction of milk amount of the herd 1/3. in one autopsy of the fetus: reason of abortion: trauma, and inflammation of liver and lung

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
201	22.03.2006 via JM	Vanguard 7	L52712		Hund	1	1	0	1 hour after vaccination dog reacted with tremor and he was highly sensitive against light and noises. Treated with Valium. Recovered
202	27.03.2006 via JM	Bovigrip RSP plus	49126 B		Rind	1	1	1	Anaphylactic shock.
203	27.03.2006 via JM	Bovigrip RSP plus	49125 B		Rind	1	1	1	Foam around mouth. Anaphylactic shock.
204	27.03.2006 via JM	Bovigrip RSP plus	49126 B		Rind	1	1	1	Anaphylactic shock.
205	27.03.2006 via JM	Bovigrip RSP plus	49125 B		Rind	1	1	1	Anaphylactic shock.
206	27.03.2006 via JM	Bovigrip RSP plus	49126 B		Rind	1	1	1	Foam out of nose, lung edema. Anaphylactic shock.
207	27.03.2006 via JM	Bovigrip RSP plus	49126 B		Rind	1	1	1	Foam out of nose, salivation, death 1 hour after vaccination. Anaphylactic shock.
208	27.03.2006 via JM	Bovigrip RSP plus	49125 B		Rind	1	1	1	Peracute respiratory signs, foam around mouth. Anaphylactic shock.
209	27.03.2006 via JM	Equilis Influenza NN	74319A	Equilis Tetanus Vaccine,	Pferd	3	3	0	cough, nasal and eye discharge several days after vaccination.
210	27.03.2006 via JM	Equilis Influenza NN	74319C		Pferd	1	1	0	swelling of the head
211	27.03.2006 via JM	Equilis Influenza NN			Pferd	2	2	0	abscess at injection site.
212	27.03.2006 via JM	Equilis Influenza NNT	43322C		Pferd	2	1	0	fever, lymphangitis.
213	27.03.2006 via JM	Equilis Influenza NNT	74323B		Pferd	1	1	0	swelling at injection site.
214	27.03.2006 via JM	Equilis Tetanus - Vaccine	74489A		Pferd	1	1	0	oedema at injection site.

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
215	27.03.2006 via JM	Resequin NN plus	74327A		Pferd	1	1	0	Owner observed a local reaction at the injection site (neck) combined with a lemeness in the back side.
216	27.03.2006 via JM	Resequin NN plus	74325C	Equilis Tetanus Vaccine; 74325C	Pferd	1	1	0	One day after vaccination, the horse showed a swelling at the injection site (neck left), fever, and lassitude. The local reaction remains for 3 weeks by building of an abscess. As the tetanus vaccination was administered at the right side of the neck, the Resequin vaccination has caused the reaction
217	27.03.2006 via JM	Porcilis PRRS	37675B-1		Schwein	170	1	1	sudden death of one sow.
218	27.03.2006 via JM	Porcilis PRRS	470725E-1		Schwein	273	1	1	increased temperature, circulatory failure, death.
219	27.03.2006 via JM	Porcilis PRRS	37705D-1		Schwein	60	5	0	anaphylactoid reaction in 5 gilts, laying flat, tachypnoe, reddening of skin, 2 gilts vomiting, 2 gilts aborted, inappetence, depression for 3 days.
220	27.03.2006 via JM	Porcilis PRRS	37643B-1		Schwein	60	7	1	7 abortions.
221	27.03.2006 via JM	Porcilis PRRS	37713C-1		Schwein	400	10	0	inappetence, swelling, vomiting, shock symptoms, abortions.
222	27.03.2006 via JM	Porcilis PRRS			Schwein	350	8	0	abortions 100th to 105th day of pregnancy.
223	27.03.2006 via JM	Porcilis PRRS	470733B-1		Schwein	170	1	1	1 sow dead 3 h p. vacc., reduced feed intake, increased return-to-estrusrate
224	27.03.2006 via JM	Porcilis PRRS	470725B-1		Schwein	170	1	1	sudden restlessness, dark reddening of ears and belly.
225	27.03.2006 via JM	Porcilis Parvo	74210A		Schwein	100	2	0	anaphylactoid reaction in 2 sows, immediately after vaccination.

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
226	27.03.2006 via JM	Porcilis APP	74014A		Schwein	5000	25	25	coughing, fever, difficulties with breathing, increased mortality.
227	27.03.2006 via JM	Porcilis APP	73294A		Schwein	340	30	12	increased mortality, fever, depression, tachypnoe.
228	27.03.2006 via JM	Porcilis APP	73242A		Schwein	10	2	0	Declined farrowing rate.
229	27.03.2006 via JM	Porcilis Ery + Parvo	74255A		Schwein	100	4	0	4 abortions 3-5 days after vaccination.
230	27.03.2006 via JM	Porcilis Ery + Parvo	74269A		Schwein	50	10	0	Fever and inappetence for 3-5 days.
231	27.03.2006 via JM	Porcilis Ery + Parvo	74258A		Schwein	100	5	1	One sow found dead few hours after vaccination.
232	27.03.2006 via JM	Nobivac SHP	004320C	Nobivac T; 74140	Hund	1	1	1	allergy symptoms 4 days after application.
233	27.03.2006 via JM	Nobivac SHPPi	0425-3042	Nobivac L; 73173C	Hund	2	1	0	fever, apathy, liver swelling.
234	27.03.2006 via JM	Nobivac SHP	004320C	Nobivac L 74140A	Hund	1	1	0	anaphylactoid reaction
235	27.03.2006 via JM	Nobivac SHPPi	04254012	Nobivac 73140C;	Hund	1	1	0	Pruritus, hot skin
236	28.03.2006 via JM	Cunivak Past	0160804		Kaninchen	8	4	0	Bei einzeln gehaltenen Kaninchen in 50% der Fälle Abszessbildung; aktuell in 4 Fällen, davon 1 mit Generalisierung
237	28.03.2006 via JM	Resporc ART+EP	531203		Schwein	57	57	0	Impfabzesse bei 57 der geimpften Tiere; Verdacht auf eitrige Impfabzesse.
238	28.03.2006 via JM	Cunivak Myxo	181 03 04		Kaninchen	4	1	1	1 d.p.vacc. Ein von 4 behandelten Kaninchen verstorben. Am Tierkörper waren keine Hinweise auf mögliche Todesursachen zu sehen.

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
239	28.03.2006 via JM	Feliserin PRC	0030103		Katze	1	1	1	ca. 15 min post appl. Erbrechen, Durchfall, hecheln, Kreislaufsymptomatik; später Erbrechen und Durchfall mit Blutbeimengung; Rekonvaleszenz binnen 3-4 d.
240	28.03.2006 via JM	Resporc FLU	19 08 04		Schwein	450	270	0	ca. 60% von 450 Sauen haben auf die Impfung mit einer Futterverweigerung und hohem Fieber über 2-3 Tage reagiert. 20 Sauen, die als tragend getestet waren, sind nicht mehr tragend, bei de Nachuntersuchung.
241	28.03.2006 via renewal	Rotlauf- Lebendimpfstoff			Schwein	2	2	0	Meldung 050304 BHZP. Date of reactions: Sometime in 2003. No of treated unknown, pigs of 100 days old 90% reacted, died=0. Local reaction at site of vaccination, allergy, redness. MAH tested a batch with high titer on 10 BHZP pigs aged 3-4 month. No reactions were observed.
242	31.03.2006 via JM	Ibraxion	L71484		Rind	269	3	0	Aborte im 4.-6. Trächtigkeitsmonat. MAH: Alle 3 Feten und 1 Nachgeburt untersucht im Landeslabor SH: keine infektiöse Ursache festgestellt, Abortursache unklar.
243	31.03.2006 via JM	Eurican SHPPi2	L150884	Eurican LT: L152210	Hund	1	1	0	Kopfödem innerhalb von 2-3 Std. p.vacc.; nach Behandlung Besserung.
244	31.03.2006 via JM	Eurican SHPPi2	unknown	Eurican LT: unknown	Hund	1	1	0	Anschwellungen im Bereich des Kopfes. Patient wurde nicht wieder vorgestellt, daher keine weiteren Informationen.
245	31.03.2006 via JM	Eurican SHPPi2	L102910	Eurican LT: L132005	Hund	1	1	0	Anschwellungen im Nasen-Kopf-Bereich, Erytheme über gesamten Körper, Juckreiz; Dauer: 1 Tag

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
246	31.03.2006 via JM	Eurican SHPPi2	L132285	Eurican LT: L134929	Hund	1	1	0	Verdacht auf anaphylaktischen Schock, sofort nach Verlassen der Praxis der Praxis Seitenlage des Hundes, stark erhöhte Herzfrequenz, bläuliche Zunge, später Erbrechen (1Std.danach)
247	31.03.2006 via JM	Cavallon IR	L137380	Virbagen T; 80546704OW48	Pferd	2	2	0	2 Wo pv kleine, zunächst harte Schwellungen; trotz Antibiose und NSAID bis 07.06 sehr große weiche Schwellung.
248	31.03.2006 via JM	Eurican Merilym	unknown		Hund	1	1	0	Starke Lamheit, große Schmerzhaftigkeit mehrerer Gelenke Hinterlauf
249	31.03.2006 via JM	Eurican SHPPi2	unknown	Eurican LT: unknown	Hund	3	3	0	Schmerzreaktionen (Hautzuckungen, Schreien, Kratzen), etwas später bewusstlos umgefallen, nach 1-2 Stunden wieder zu sich gekommen und dann in Ordnung
250	31.03.2006 via JM	Lapimed Myxo id	L151513	Lapimed RHD: :L142755	Kaninchen	2	2	0	Nach versehendlicher s.c. Impfung Lidrandödem, später Lidbindehautentzündung, kratzen im Ohr, sonst munter, Futteraufnahme normal.
251	31.03.2006 via JM	Purevax RCP	unknown		Katze	8	3	0	Fieber >40 C, Lahmheit, schreien
252	31.03.2006 via JM	Eurifel RCPT	unknown	Eurican LT	Katze	1	1	0	Erbrechen, Seitenlage, V.A. Kreislaufschock
253	31.03.2006 via JM	Eurican SHPPi2	unknown	Eurican LT: unknown	Hund	1	1	0	2-3 Std später angefangen zu Erbrechen; im Notdienst in der Praxis mit Cortison behandelt, am nächsten Tag wieder gut.
254	31.03.2006 via JM	Eurican SHPPi2	L144315	Eurican LT: L144303	Hund	1	1	0	Anaphylaktische Schock, kippte um, Schleimhäute blass, GRF>2
255	31.03.2006 via JM	Eurican SHPPi2	unknown	Eurican LT: unknown	Hund	1	1	0	Ödeme an Lidern, Lefze und Pfoten, und Atemwegsprobleme (Larynxödem), Hund war sehr unruhig.

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
256	31.03.2006 via JM	Eurican SHPPi2	L150884	Eurican LT: L144303	Hund	2	1	0	Erbrechen, urinieren, "In-die-Kniegehen", kippte zur Seite; 30 sek. Später Kollaps, KFZ nicht meßbar, Schleimhäute grauweiß, Atmung verlangsamt, Bradykardie; nach Braunülenlegung und Cortison-Injektion i.v. erholte sich das Tier nach 5 Min.
257	31.03.2006 via JM	Purevax RCPCh	L148638		Katze	3	3	0	"Anaphylaktische Reaktionen" (Kopfödeme)
258	31.03.2006 via JM	Eurican SHPPi2	L150884	Eurican LT: L152210	Hund	2	2	0	Fressunlust, örtliche Schwellung und Schmerzen, Apathie 3 Tage lang.
259	31.03.2006 via JM	Eurifel RCPT	L178540		Katze	1	1	0	Fieber 40,1 C, Apathie, hgr. Lahmheit; Inappetenz, hgr. Schmerzen an Injektionsstelle sowie der gesamten Oberschenkelmuskulatur.
260	31.03.2006 via JM	Eurican SHPPi2	L150884	Eurican LT: L152210	Hund	2	2	0	Kreislaufzusammenbruch, Apathie. Vomitus u. Diarrhoe
261	31.03.2006 via JM	Eurifel FeLV	L143711		Katze	1	1	0	"Nach Impfung zusammengebrochen", ZNS-Störungen: Krämpfe, Lähmungen, Bewusstseinsverlust, Dauer 8 Std.
262	31.03.2006 via JM	Duvaxyn EHV 1,4	unknown		Pferd	16	6	0	16 horses of different owners were vaccinated with Duv. EHV1,4 on 22 Nov and 01 Dec 05. 1 day pv (on 23 Nov/02 Dec 05) 6 animals had strong swelling, fever, 39,4 °C, oedema at all limbs, were inappetent and showed lameness. MAH: Local reactions may be observed after vaccination, 4 days after treatment horses recovered.

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
263	31.03.2006 via JM	Duvaxyn IE-T plus	unknown	Duvaxyn EHV1,4	Pferd	1	1	0	Horse was vaccinated on XXX ? with Duv IET Plus and Duv. EHV1,4; abscee was surgically treated for abscess lancing and hspitalised for 5 days from 5 - 11 Jan 05.
264	31.03.2006 via JM	Duvaxyn IE-T plus	unknown	Duvaxyn EHV1,4	Pferd	2	2	0	Horse was vaccinated with Duv IE-T Plus and Duv EHV1,4 on 22 Dec 04; developed painful swelling at i.s. 2 days p.v.; was hardly able to move; required treatment; recovery after 2 weeks.
265	31.03.2006 via JM	Duvaxyn IE-T plus	unknown		Pferd	4	4	0	All horses (3 f, 1 m) had fever (39,7 -40,3 °C), inappetence and strong swelling (at i.s.).
266	31.03.2006 via JM	Fevaxyn i-CHP	unknown		Katze	1	1	0	Cat had severe pain at injection site (painful at palpation); was hiding for 2-3 days.
267	31.03.2006 via JM	Fevaxyn i-CHP Chlam	unknown		Katze	1	1	0	Cat had pussy conjunctiva and ear pv. This report wassent as collective report involving 21 animals, for which the onset of symptoms was not provided.
268	31.03.2006 via JM	Fevaxyn i-CHP Chlam	unknown		Katze	1	1	0	On 4 Aug 04 1 cat was vaccinated with Fev iCHP Clam. 1 h post vaccination the animal panted and dropped at home. When brought to the vet, it panted, had tachycardia, hyperthermia, and was treated symptomatically for 3 days.
269	31.03.2006 via JM	Fevaxyn i-CHP Chlam	unknown		Katze	1	1	0	Cat was apathic pv, had attacks of wekness, collapsed. This report was sent as collective report involving 21 animals, for which the onset of symptoms was not provided.

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
270	31.03.2006 via JM	Fevaxyn i-CHP Chlam	unknown		Katze	1	1	0	Cat was vaccinated on 18 May 04 with Fev. iCHP Chlam and had 1 day pv epileptic like seizures, behavioural disorders, was treated for sterile meningitis with dexamethasone and antibiotics for about 2 months.
271	31.03.2006 via JM	Fevaxyn i-CHP Chlam	unknown		Katze	1	1	0	Cat did not eat pv, was weak and lying down. This report was sent as collective report involving 21 animals, for which the onset of symptoms was not provided.
272	31.03.2006 via JM	Fevaxyn i-CHP Chlam	unknown		Katze	1	1	0	Cat was vaccinated on 30 Jun -05 and on 21 Jul 05. Post vaccination cat did not eat and slept a lot; temperature 38,4 °C. This report was sent as collective report involving 21 animals, for which the onset of symptoms was not provided.
273	31.03.2006 via JM	Fevaxyn i-CHP Chlam	unknown		Katze	1	1	0	1 cat developed some hours post vaccination pain at inection site, anorexia, recovered after treatment with Metapyrin within 2 days.
274	31.03.2006 via JM	Fevaxyn i-CHP Chlam	unknown		Katze	1	1	0	Cat had fever for 2 days, was inappetent, apathic and had pain. This report was sent as collective report involving 21 animals, for which the onset of symptoms was not provided.
275	31.03.2006 via JM	Fevaxyn i-CHP Chlam	unknown		Katze	1	1	0	Cat was weak for 2 days pv ad apathic. This report was sent as collective report involving 21 animals, for which the onset of symptoms was not provided.

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
276	31.03.2006 via JM	Fevaxyn i-CHP Chlam	unknown		Katze	1	1	0	Cat was weak pv for 2 days, apathic and inappetent. This report was sent as collective report involving 21 animals, for which the onset of symptoms was not provided.
277	31.03.2006 via JM	Fevaxyn i-CHP Chlam	unknown		Katze	1	1	0	Cat was weak, febrile, inappetent up to 24 hrs pv and pain. This report was sent as collective report involving 21 animals, for which the onset of symptoms was not provided.
278	31.03.2006 via JM	Fevaxyn i-CHP Chlam	unknown		Katze	1	1	0	Cat was weak pv, did not eat and slept a lot. This report was sent as collective report involving 21 animals, for which the onset of symptoms was not provided.
279	31.03.2006 via JM	Fevaxyn i-CHP Chlam	unknown		Katze	1	1	0	Cat was weak pv for 1 day, inappetent and slept. This report was sent as collective report involving 21 animals, for which the onset of symptoms was not provided.
280	31.03.2006 via JM	Fevaxyn i-CHP Chlam	unknown		Katze	1	1	0	Cat was weak 1 day pv, did not eat and had pain at injection site. This report was sent as collective report involving 21 animals, for which the onset of symptoms was not provided.
281	31.03.2006 via JM	Fevaxyn i-CHP Chlam	unknown		Katze	1	1	0	Cat was weak and apathic for 1 day pv. This report was sent as collective report involving 21 animals, for which the onset of symptoms was not provided.
282	31.03.2006 via JM	Fevaxyn i-CHP Chlam	unknown		Katze	1	1	0	Cat was more quiet than usual pv and had fever. This report was sent as collective report involving 21 animals, for which the onset of symptoms was not provided.

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
283	31.03.2006 via JM	Fevaxyn i-CHP Chlam	unknown		Katze	1	1	0	Cat was apathic, did not eat properly, temperature (38,5°C). This report was sent as collective report involving 21 animals, for which the onset of symptoms was not provided.
284	31.03.2006 via JM	Fevaxyn i-CHP Chlam	unknown		Katze	1	1	0	Cat was febrile and weak for 1-2 days. This report was sent as collective report involving 21 animals, for which the onset of symptoms was not provided.
285	31.03.2006 via JM	Fevaxyn i-CHP Chlam	unknown		Katze	1	1	0	Cat did not eat and was weak pv. This report was sent as collective report involving 21 animals, for which the onset of symptoms was not provided.
286	31.03.2006 via JM	Fevaxyn i-CHP Chlam	unknown		Katze	1	1	0	Cat was a little weak pv. This report was sent as collective report involving 21 animals, for which the onset of symptoms was not provided.
287	31.03.2006 via JM	Fevaxyn i-CHP Chlam	unknown		Katze	1	1	0	Cat was apathic pv and did not eat. This report was sent as collective report involving 21 animals, for which the onset of symptoms was not provided.
288	31.03.2006 via JM	Fevaxyn i-CHP Chlam	unknown		Katze	1	1	0	Cat was apathic pv. This report was sent as collective report involving 21 animals, for which the onset of symptoms was not provided.
289	31.03.2006 via JM	Fevaxyn i-CHP Chlam	unknown		Katze	1	1	0	Cat was weak pv and slept for 2 days. This report was sent as collective report involving 21 animals, for which the onset of symptoms was not provided.

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
290	31.03.2006 via JM	Fevaxyn i-CHP Chlam	unknown		Katze	1	1	0	Cat reacted 1 day post vaccination with apathy, anorexia, pain when touched, fever (39 °C) and reddening of larynx. When treated with Dexamethasone, symptoms disappear within 1 day.
291	31.03.2006 via JM	Fevaxyn i-CHP Chlam	unknown		Katze	1	1	0	Cat cried pv, had pain, fever 40,0°C), was treated with infusion/antibiotics. This report was sent as collective report involving 21 animals, for which the onset of symptoms was not provided.
292	31.03.2006 via JM	Fevaxyn Pentofel	unknown		Katze	1	1	0	Cats were vaccinated on 30 Sep 05 and had severe pain 1 day pv.
293	31.03.2006 via JM	Fevaxyn Pentofel	unknown		Katze	1	1	0	Cats were vaccinated on 30 Sep 05 and had severe pain 1 day pv.
294	31.03.2006 via JM	Suvaxyn Flu	unknown		Schwein	120	8	0	120 sows were vaccinated on 4 and 10 May 05 with Suvaxyn Flu and the week before with Suvaxyn Parvo E. About 2 mins after vaccination 8 sows reacted with hyperventilation, red spots, salivation, partly vomiting and colour changes of the teats (back/blue). 15 mins after the onset the anaphylactoid symptoms disappeared with or without treatment. Treatment of reaction: Reacting sows were treated with 5 ml Voren Suspension, 5 ml IM. Principal signs: Anaphylaxis
295	31.03.2006 via JM	Suvaxyn M.Hyo	unknown		Schwein	230	1	1	1 of 230 vaccinated piglets showed trembling, lying side, moving limbs, foam from nose, crying, rolling eyes and died after 5 minutes.

Lfd.-Nr.	Eingang	Präparate Name	Chrg.-Bez.	weitere Präparate	Tierart	Imm	Reag	Tot	Text UAW
296	31.03.2006 via JM	Suvaxyn Parvo/E	unknown		Schwein	290	290	0	260 sows and 30 gilts, 12 to 48 months of age, were vaccinated on 18 Feb 05 with SuvParvo E. On 20 Feb 05 all vaccinated animals had swelling at inj. site, fever and anorexia. Duration of symptoms was not reported.
297	31.03.2006 via JM	Suvaxyn Parvo/E	unknown		Schwein	125	38	0	125 sows were vaccinated on 05 feb 05 with Suvaxyn Parvo/E. On 7 Feb 05 30 % (38) of animals had massive and painful swelling at i.s., 15 sows had anorexia several days post vaccination.
298	31.03.2006 via JM	Suvaxyn Parvo/E	unknown		Schwein	10	10	0	About 10 sows had inappetence and fever (up to 41 °C) 1 day pv. Despite symptomatic treatment symptoms continued and led to reduced lactation. n.
299	21.07.2006 via PSUR	Suvaxyn Ery	unknown		Schwein	250	250	0	All vaccinated pigs had abscesses in neck (size of walnut), which were detected only when animals were slaughtered (3-4 month pv). This resulted in about 120 kg waste of meat.